

O/O DIMENSION  
(SEE PLAN)

NOTE:  
REFERENCE TYPICAL TRIM  
LAP SECTIONS

12

1/4-14 x 7/8 LONG-LIFE LAPTEK  
W/WASHER [FASTENER #4] SPACED  
1 1/2" FROM PANEL SEAMS, W/  
INTERIOR FASTENERS CENTERED  
OVER MINOR RIBS (7" O.C. MAX.)  
(NO FASTENER @ PANEL SEAM)

TRI-BEAD TAPE SEALER [HW-504]  
1/4-14 x 7/8 LONG-LIFE LAPTEK  
W/WASHER [FASTENER #4] @ 6" O.C.  
LOW FIXED CLIP [HW-200]  
BEARING PLATE [HW-7500]  
ULTRA-DEK PANEL

CONT. URETHANE SEALANT  
[HW-54\_]  
COUNTERFLASH [FL-341]  
PARAPET HIGH EAVE  
FLASHING [SF-\_\_]

BRICK WALL  
(NOT BY MBCI)

FIELD SAWCUT  
TRI-BEAD TAPE SEALER  
[HW-504]

14-10 x 2 DECK SCREW  
[FASTENER #209] @ 24" O.C.  
(PRE-DRILL)

METAL VENT MATERIAL [HW-525]  
URETHANE SEALANT [HW-54\_] @  
CLOSURE ENDS/PANEL RIB &  
LAPPING CLOSURE TABS TO  
SEAL ALL VOIDS

1/4-14 x 1 1/4 LONG-LIFE  
SELF-DRILLER W/WASHER  
[FASTENER #1E] (3) PER PANEL

METAL OUTSIDE CLOSURE  
[HW-430] 24" PANEL  
[HW-432] 18" PANEL  
[HW-442] 12" PANEL

BACK-UP PLATE  
[HW-7760] 24" PANEL  
[HW-7769] 18" PANEL  
[HW-7761] 12" PANEL

TRI-BEAD TAPE SEALER  
[HW-504]

1/4-14 x 5/8 LONG-LIFE  
'TYPE B' SELF-TAPPER  
W/WASHER [FASTENER #46]  
@ PRE-PUNCHED HOLES  
(6) PER 24" PANEL  
(5) PER 18" PANEL  
(4) PER 12" PANEL

RIGID INSULATION  
(NOT BY MBCI)  
METAL DECK  
(MIN. GAUGE THICKNESS)  
(NOT BY MBCI)  
VAPOR BARRIER (NOT BY MBCI)  
14-10 x \_\_\_\_ DECK  
SCREW [FASTENER #15\_] (2) PER CLIP  
(MIN. 3/4" PENETRATION  
INTO METAL DECK)

