

ARCHITECTURAL

ST. CLARE OF ASSISI CATHOLIC
CHURCH AND SCHOOL

Location
HOUSTON, TX

Panel Profile
ROOF: LOKSEAM® SERIES 16"
WALL: ARTISAN® SERIES 12"

BROWNSTONE

COLOR CHART

ARCHITECTURAL

- *Final color selection should be made from actual color chips.*
- For the most current information available, visit our website at www.mbc.com.
- All products are available in smooth or embossed finish.
- Trim is available in all colors.
- Review the sample warranty for complete performance attributes and terms and conditions.

SIGNATURE® 300 STANDARD COLORS



HARBOR BLUE ★
SR .28 SRI 27



COLONIAL RED ★
SR .34 SRI 35




MEDIUM BRONZE ★
SR .33 SRI 34



PACIFIC BLUE ★
SR .29 SRI 29




NATURAL PATINA** ★
SR .41 SRI 45



SNOW WHITE ★
SR .65 SRI 78



SLATE GRAY ★
SR .37 SRI 39



ALMOND ★
SR .63 SRI 75



MIDNIGHT BRONZE ★
SR .29 SRI 28



CLASSIC GREEN ★
SR .27 SRI 26



EVERGLADE ★
SR .33 SRI 34



BROWNSTONE ★
SR .47 SRI 53



TUNDRA ★
SR .46 SRI 52



SPRUCE ★
SR .36 SRI 38



HUNTER GREEN ★
SR .35 SRI 37



BRITE RED** ★
SR .49 SRI 55



BONE WHITE** ★
SR .70 SRI 85

** Minimum quantities and/or extended lead times required.
Please inquire.



SIGNATURE® 200


STANDARD COLORS

Siliconized Polyester
Polar White is a Straight Polyester.



SIGNATURE® 300

METALLIC



Metallic coatings are directional. Panels and trim must be installed oriented in the same direction to prevent perceived shade variances.

★★ Minimum quantities and/or extended lead times required.
Please inquire.


Signature® is a registered trademark of NCI Group, Inc.




★ ENERGY STAR® Qualified




DESIGNER® SERIES





SHADOWRIB™



NUWALL®





WALL / LINER PANELS




IL-180-0, IL-180-2 (with Beads) &
IL-240-0 also available

ARTISAN® SERIES



L-8 & L-10 also available


CLASSIC® SERIES





QWIKLOK™



FLEXLOC®




CRAFTSMAN™ SERIES




STANDING SEAM Vertical Leg


LOKSEAM®




BATTENLOK® HS



SUPERLOK®




CURVED BATTENLOK®




Trapezoidal Leg

ULTRA-DEK®



DOUBLE-LOK®



SR/SRI CHART

SIGNATURE® 300		
	SR #	SRI #
HARBOR BLUE	.28	27
COLONIAL RED	.34	35
MEDIUM BRONZE	.33	34
PACIFIC BLUE	.29	29
HUNTER GREEN	.35	37
SNOW WHITE	.65	78
SLATE GRAY	.37	39
ALMOND	.63	75
MIDNIGHT BRONZE	.29	28
CLASSIC GREEN	.27	26
EVERGLADE	.33	34
BROWNSTONE	.47	53
TUNDRA	.46	52
SPRUCE	.36	38
NATURAL PATINA	.41	45
BRITE RED	.49	55
BONE WHITE	.70	85

SIGNATURE® 300 METALLIC		
	SR #	SRI #
COPPER METALLIC	.46	51
SILVER METALLIC	.52	58

SIGNATURE® 200 - SILICONIZED POLYESTER		
	SR #	SRI #
BURNISHED SLATE	.34	36
POLAR WHITE	.58	68
CHARCOAL GRAY	.38	41
LIGHT STONE	.56	66
HAWAIIAN BLUE	.31	31
RUSTIC RED	.37	39
KOKO BROWN	.35	37
FERN GREEN	.29	29
COAL BLACK	.34	35
SOLAR WHITE	.67	86

COLORATION IMAGINATION



HUNTER GREEN ★

SILVER CREST ELEMENTARY SCHOOL

Location
HERRIMAN, UT

Panel Profile
ROOF: CRAFTSMAN™ HB



COAL BLACK ★



ORANGE*

HARLEY-DAVIDSON SHOP & STORE

Location
GILLETTE, WY

Panel Profile
ROOF: BATTENLOK® HS, PBR PANEL
WALL: PBR PANEL

* Custom Color



BRITE RED ★



CHARCOAL GRAY ★

URBAN LOFTS

Location
HOUSTON, TX

Panel Profile
WALL: PBR PANEL, PBC PANEL

SOLAR REFLECTIVITY (SR)

Solar reflectivity or reflectance (SR) is the ability of a material to reflect solar energy from its surface back into the atmosphere. The SR value is a number from 0 to 1.0. A value of 0 indicates that the material absorbs all solar energy and a value of 1.0 indicates it is all reflected. ENERGY STAR® requires SR testing of both new and aged roof products. New products must have an SR value of 0.25 or higher for steep slope (above 2:12) roofing and an SR value of 0.65 or higher for low slope (2:12 or less) roofing. Aged testing takes three years to complete, so not all products that meet the initial requirements are qualified. For more information, please visit www.energystar.gov.

SOLAR REFLECTANCE INDEX (SRI)

The SRI is used to determine compliance with LEED requirements and is calculated according to ASTM E 1980 using values for reflectance and emissivity. Emissivity is a material's ability to release absorbed energy. To meet LEED requirements, a roofing material must have an SRI of 29 or higher for steep slope (above 2:12) roofing and an SRI value of 78 or higher for low slope (2:12 or less) roofing. For more information, please visit www.usgbc.org.



CUSTOM COLORS AND ACCESSORIES

If you're looking for a color that isn't on our chart, let us know and we'll work with you to find the exact color offering you need. MBCI also has a large selection of standard trim and flashing for each of its metal roof and wall panels. All trim and flashing are available in the same gauge and finish as our panel systems. Additionally, MBCI can make most any custom trim you require. Gutter systems are also available and can be ordered to match or in any other color you choose.

For complete performance specifications, product limitations and disclaimers, please consult MBCI's Paint and Galvalume Plus® warranties. Upon receipt of payment in full, these warranties are available by request for all painted or Galvalume Plus® prime products. Contact your local MBCI Sales Representative or visit www.mbc.com for sample copies.

FOR THE MOST CURRENT INFORMATION AVAILABLE, VISIT OUR WEBSITE AT WWW.MBCI.COM

Houston, TX | 877.713.6224
Adel, GA | 888.446.6224
Atlanta, GA | 877.512.6224
Atwater, CA | 800.829.9324
Dallas, TX | 800.653.6224

Indianapolis, IN | 800.735.6224
Lubbock, TX | 800.758.6224
Memphis, TN | 800.206.6224
Oklahoma City, OK | 800.597.6224
Omaha, NE | 800.458.6224

Phoenix, AZ | 888.533.6224
Richmond, VA | 800.729.6224
Rome, NY | 800.559.6224
Salt Lake City, UT | 800.874.2404
San Antonio, TX | 800.598.6224

MBCI
Metal Roof and Wall Systems