



Commercial / Industrial Pricing Guide





Panels

PBR / PBU	2
AVP	4
PBR With Drip Stop	6
PBC / PBD	8
7.2 Panel	10
Retro-R®	12

Accessories



Cees and Zees	14
Channels	18
Angles and Eave Struts	19
Custom Structural Shapes	22
LiteFrame®, Furring Zee and Strapping	23
Roof Hugger	25
Light Transmitting Panels	25
Ventilators	28
Ridge Caps	29
Roof Jacks	30
Closure Strips	31
Windows	33
Doors	34
Sealant	35
Paint	36
Blanket Insulation	37
Reflective Insulation	38
Eye Bolts and Washers	39
Machine Bolts and Purlin Clip	40
Slide Door Hardware	41
Flat Sheets and Coils	43

Trim

All Trim	46
----------	----





PBR / PBU Panels



NUMBER OF SQUARE FEET PER PANEL

	0"	1"	2"	3"	4"	5"	6"	7"	8"	9"	10"	11"
1 FT.	3.19	3.45	3.72	3.98	4.25	4.52	4.78	5.05	5.31	5.58	5.84	6.11
2 FT.	6.38	6.64	6.91	7.17	7.44	7.70	7.97	8.23	8.50	8.76	9.03	9.30
3 FT.	9.56	9.83	10.09	10.36	10.62	10.89	11.16	11.42	11.69	11.95	12.22	12.48
4 FT.	12.75	13.02	13.28	13.55	13.81	14.08	14.34	14.61	14.87	15.14	15.41	15.67
5 FT.	15.94	16.20	16.47	16.73	17.00	17.27	17.53	17.80	18.06	18.33	18.59	18.86
6 FT.	19.13	19.39	19.66	19.92	20.19	20.45	20.72	20.98	21.25	21.51	21.78	22.05
7 FT.	22.31	22.58	22.84	23.11	23.37	23.64	23.91	24.17	24.44	24.70	24.97	25.23
8 FT.	25.50	25.77	26.03	26.30	26.56	26.83	27.09	27.36	27.62	27.89	28.16	28.42
9 FT.	28.69	28.95	29.22	29.48	29.75	30.02	30.28	30.55	30.81	31.08	31.34	31.61
10 FT.	31.88	32.14	32.41	32.67	32.94	33.20	33.47	33.73	34.00	34.26	34.53	34.80
11 FT.	35.06	35.33	35.59	35.86	36.12	36.39	36.66	36.92	37.19	37.45	37.72	37.98
12 FT.	38.25	38.52	38.78	39.05	39.31	39.58	39.84	40.11	40.37	40.64	40.91	41.17
13 FT.	41.44	41.70	41.97	42.23	42.50	42.77	43.03	43.30	43.56	43.83	44.09	44.36
14 FT.	44.63	44.89	45.16	45.42	45.69	45.95	46.22	46.48	46.75	47.01	47.28	47.55
15 FT.	47.81	48.08	48.34	48.61	48.87	49.14	49.41	49.67	49.94	50.20	50.47	50.73
16 FT.	51.00	51.27	51.53	51.80	52.06	52.33	52.59	52.86	53.12	53.39	53.66	53.92
17 FT.	54.19	54.45	54.72	54.98	55.25	55.52	55.78	56.05	56.31	56.58	56.84	57.11
18 FT.	57.38	57.64	57.91	58.17	58.44	58.70	58.97	59.23	59.50	59.76	60.03	60.30
19 FT.	60.56	60.83	61.09	61.36	61.62	61.89	62.16	62.42	62.69	62.95	63.22	63.48
20 FT.	63.75	64.02	64.28	64.55	64.81	65.08	65.34	65.61	65.87	66.14	66.41	66.67
21 FT.	66.94	67.20	67.47	67.73	68.00	68.27	68.53	68.80	69.06	69.33	69.59	69.86
22 FT.	70.13	70.39	70.66	70.92	71.19	71.45	71.72	71.98	72.25	72.51	72.78	73.05
23 FT.	73.31	73.58	73.84	74.11	74.37	74.64	74.91	75.17	75.44	75.70	75.97	76.23
24 FT.	76.50	76.77	77.03	77.30	77.56	77.83	78.09	78.36	78.62	78.89	79.16	79.42
25 FT.	79.69	79.95	80.22	80.48	80.75	81.02	81.28	81.55	81.81	82.08	82.34	82.61
26 FT.	82.88	83.14	83.41	83.67	83.94	84.20	84.47	84.73	85.00	85.26	85.53	85.80
27 FT.	86.06	86.33	86.59	86.86	87.12	87.39	87.66	87.92	88.19	88.45	88.72	88.98
28 FT.	89.25	89.52	89.78	90.05	90.31	90.58	90.84	91.11	91.37	91.64	91.91	92.17
29 FT.	92.44	92.70	92.97	93.23	93.50	93.77	94.03	94.30	94.56	94.83	95.09	95.36
30 FT.	95.63	95.89	96.16	96.42	96.69	96.95	97.22	97.48	97.75	98.01	98.28	98.55
31 FT.	98.81	99.08	99.34	99.61	99.87	100.14	100.41	100.67	100.94	101.20	101.47	101.73
32 FT.	102.00	102.27	102.53	102.80	103.06	103.33	103.59	103.86	104.12	104.39	104.66	104.92
33 FT.	105.19	105.45	105.72	105.98	106.25	106.52	106.78	107.05	107.31	107.58	107.84	108.11
34 FT.	108.38	108.64	108.91	109.17	109.44	109.70	109.97	110.23	110.50	110.76	111.03	111.30
35 FT.	111.56	111.83	112.09	112.36	112.62	112.89	113.16	113.42	113.69	113.95	114.22	114.48
36 FT.	114.75	115.02	115.28	115.55	115.81	116.08	116.34	116.61	116.87	117.14	117.41	117.67
37 FT.	117.94	118.20	118.47	118.73	119.00	119.27	119.53	119.80	120.06	120.33	120.59	120.86
38 FT.	121.13	121.39	121.66	121.92	122.19	122.45	122.72	122.98	123.25	123.51	123.78	124.05
39 FT.	124.31	124.58	124.84	125.11	125.37	125.64	125.91	126.17	126.44	126.70	126.97	127.23
40 FT.	127.50	127.77	128.03	128.30	128.56	128.83	129.09	129.36	129.62	129.89	130.16	130.42

PBR / PBU Panels



DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
29	36"	80,000	70#	Galvalume Plus® α	✓
29	36"	80,000	70#	Signature® 200 *	✓ †
26	36"	80,000	87#	Galvalume Plus® α	✓
26	36"	80,000	87#	Signature® 200 *	✓
26	36"	80,000	87#	Signature® 300	✓
24	36"	50,000	109#	Galvalume Plus® α	✓
24	36"	50,000	109#	Signature® 200 *	✓ †
24	36"	50,000	109#	Signature® 300 *	✓ †
22	36"	50,000	139#	Galvalume Plus® α	✓
22	36"	50,000	139#	Signature® 200	Please inquire
.024" Alum ††	36"	18,000	41#	Signature® 200 - White Only	✓

†† Perforated only

* See Commercial/Industrial Color Chart for available colors

† Minimum quantities may be required for some colors. Please inquire.

α The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

Consult the COMMERCIAL/INDUSTRIAL OR "PBR" and "PBU" TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.

Panel Pricing:

- All "PBR" and "PBU" panel pricing is based on a 38 1/4" sheet width (see chart on opposite page).
- Add \$8.00 per square for embossing. **29 and 26 gauge cannot be embossed.**
- Add \$1.05 per sheet for lengths 4'-0" and under.
- Add \$32.40 set-up charge for reverse run "PBR" or "PBU" panels (upside down).
- Perforated aluminum is 1/8" round on .324" staggered centers. Approximately 13.5% open area. **Any other color, gauge or perforation pattern - Please inquire**

Packaging Cost:

- Maximum 3000 pounds or 75 panels per bundle.
- Block and band only\$10.00
- Block and band, waterproof paper wrap\$1.40/linear foot
- Block and band, waster sheet top only\$1.60/linear foot
- Block and band, waster sheet top and bottom\$2.80/linear foot
- LTL Package - block and band, waster sheet top and bottom, angle board sides and ends\$3.50/linear foot
- Export Package - block and band, waster sheet top and bottom, steel and wood boxedSpecial Order Only

Delivery:


- 29 and 26 gauge - Stocked Signature® 200 colors (see color chart)Contact your local Customer Service Representative for lead times.
- 22 and 24 gauge - Galvalume Plus® and Signature® 200 WhiteContact your local Customer Service Representative for lead times.
- 22 and 24 gauge - Signature® 200 colorsContact your local Customer Service Representative for lead times.
- 26 gauge - Signature® 300 colors (see color chart)Contact your local Customer Service Representative for lead times.

Note:

- Edge of panel in contact with concrete sheeting notch will result in excessive edge creep. Panel corrosion due to contact with concrete or any masonry product is excluded from Panel Warranty.**
- All perforated material comes with a light oil coating. Panels should be wiped clean before installing.

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

AVP Panels




AVP Panel

NUMBER OF SQUARE FEET PER PANEL

	0"	1"	2"	3"	4"	5"	6"	7"	8"	9"	10"	11"
1 FT.	3.19	3.45	3.72	3.98	4.25	4.52	4.78	5.05	5.31	5.58	5.84	6.11
2 FT.	6.38	6.64	6.91	7.17	7.44	7.70	7.97	8.23	8.50	8.76	9.03	9.30
3 FT.	9.56	9.83	10.09	10.36	10.62	10.89	11.16	11.42	11.69	11.95	12.22	12.48
4 FT.	12.75	13.02	13.28	13.55	13.81	14.08	14.34	14.61	14.87	15.14	15.41	15.67
5 FT.	15.94	16.20	16.47	16.73	17.00	17.27	17.53	17.80	18.06	18.33	18.59	18.86
6 FT.	19.13	19.39	19.66	19.92	20.19	20.45	20.72	20.98	21.25	21.51	21.78	22.05
7 FT.	22.31	22.58	22.84	23.11	23.37	23.64	23.91	24.17	24.44	24.70	24.97	25.23
8 FT.	25.50	25.77	26.03	26.30	26.56	26.83	27.09	27.36	27.62	27.89	28.16	28.42
9 FT.	28.69	28.95	29.22	29.48	29.75	30.02	30.28	30.55	30.81	31.08	31.34	31.61
10 FT.	31.88	32.14	32.41	32.67	32.94	33.20	33.47	33.73	34.00	34.26	34.53	34.80
11 FT.	35.06	35.33	35.59	35.86	36.12	36.39	36.66	36.92	37.19	37.45	37.72	37.98
12 FT.	38.25	38.52	38.78	39.05	39.31	39.58	39.84	40.11	40.37	40.64	40.91	41.17
13 FT.	41.44	41.70	41.97	42.23	42.50	42.77	43.03	43.30	43.56	43.83	44.09	44.36
14 FT.	44.63	44.89	45.16	45.42	45.69	45.95	46.22	46.48	46.75	47.01	47.28	47.55
15 FT.	47.81	48.08	48.34	48.61	48.87	49.14	49.41	49.67	49.94	50.20	50.47	50.73
16 FT.	51.00	51.27	51.53	51.80	52.06	52.33	52.59	52.86	53.12	53.39	53.66	53.92
17 FT.	54.19	54.45	54.72	54.98	55.25	55.52	55.78	56.05	56.31	56.58	56.84	57.11
18 FT.	57.38	57.64	57.91	58.17	58.44	58.70	58.97	59.23	59.50	59.76	60.03	60.30
19 FT.	60.56	60.83	61.09	61.36	61.62	61.89	62.16	62.42	62.69	62.95	63.22	63.48
20 FT.	63.75	64.02	64.28	64.55	64.81	65.08	65.34	65.61	65.87	66.14	66.41	66.67
21 FT.	66.94	67.20	67.47	67.73	68.00	68.27	68.53	68.80	69.06	69.33	69.59	69.86
22 FT.	70.13	70.39	70.66	70.92	71.19	71.45	71.72	71.98	72.25	72.51	72.78	73.05
23 FT.	73.31	73.58	73.84	74.11	74.37	74.64	74.91	75.17	75.44	75.70	75.97	76.23
24 FT.	76.50	76.77	77.03	77.30	77.56	77.83	78.09	78.36	78.62	78.89	79.16	79.42
25 FT.	79.69	79.95	80.22	80.48	80.75	81.02	81.28	81.55	81.81	82.08	82.34	82.61
26 FT.	82.88	83.14	83.41	83.67	83.94	84.20	84.47	84.73	85.00	85.26	85.53	85.80
27 FT.	86.06	86.33	86.59	86.86	87.12	87.39	87.66	87.92	88.19	88.45	88.72	88.98
28 FT.	89.25	89.52	89.78	90.05	90.31	90.58	90.84	91.11	91.37	91.64	91.91	92.17
29 FT.	92.44	92.70	92.97	93.23	93.50	93.77	94.03	94.30	94.56	94.83	95.09	95.36
30 FT.	95.63	95.89	96.16	96.42	96.69	96.95	97.22	97.48	97.75	98.01	98.28	98.55
31 FT.	98.81	99.08	99.34	99.61	99.87	100.14	100.41	100.67	100.94	101.20	101.47	101.73
32 FT.	102.00	102.27	102.53	102.80	103.06	103.33	103.59	103.86	104.12	104.39	104.66	104.92
33 FT.	105.19	105.45	105.72	105.98	106.25	106.52	106.78	107.05	107.31	107.58	107.84	108.11
34 FT.	108.38	108.64	108.91	109.17	109.44	109.70	109.97	110.23	110.50	110.76	111.03	111.30
35 FT.	111.56	111.83	112.09	112.36	112.62	112.89	113.16	113.42	113.69	113.95	114.22	114.48
36 FT.	114.75	115.02	115.28	115.55	115.81	116.08	116.34	116.61	116.87	117.14	117.41	117.67
37 FT.	117.94	118.20	118.47	118.73	119.00	119.27	119.53	119.80	120.06	120.33	120.59	120.86
38 FT.	121.13	121.39	121.66	121.92	122.19	122.45	122.72	122.98	123.25	123.51	123.78	124.05
39 FT.	124.31	124.58	124.84	125.11	125.37	125.64	125.91	126.17	126.44	126.70	126.97	127.23
40 FT.	127.50	127.77	128.03	128.30	128.56	128.83	129.09	129.36	129.62	129.89	130.16	130.42

AVP Panels



AVP Panel

DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
26	36"	80,000	87#	Galvalume Plus®	✓
26	36"	80,000	87#	Signature® 200 *	✓
26	36"	80,000	87#	Signature® 300 *	✓
24	36"	50,000	109#	Galvalume Plus®	✓
24	36"	50,000	109#	Signature® 200 *	✓ †
24	36"	50,000	109#	Signature® 300 *	✓ †
22	36"	50,000	139#	Galvalume Plus®	✓
22	36"	50,000	139#	Signature® 200	Please Inquire
.024 Alum ††	36"	18,000	41#	Signature® 200	✓

†† Perforated only

* See Commercial/Industrial Color Chart for available colors

† Minimum quantities may be required for some colors. Please inquire.

▣ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

Consult the COMMERCIAL/INDUSTRIAL OR "PBR" and "PBU" TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.

Panel Pricing:

- All "AVP" panel pricing is based on a 38 1/4" sheet width (see chart on opposite page).
- Add \$8.00 per square for embossing. **26 gauge cannot be embossed.**
- Add \$1.05 per sheet for lengths 4'0" and under.
- Perforated aluminum is 1/8" round on .324" staggered centers. Approximately 13.5% open area. **Any other color, gauge or perforation pattern - Please inquire**

Packaging Cost:

- Maximum 3000 pounds or 75 panels per bundle.
- Block and band only\$10.00
- Block and band, waterproof paper wrap\$1.40/linear foot
- Block and band, waster sheet top only\$1.60/linear foot
- Block and band, waster sheet top and bottom\$2.80/linear foot
- LTL Package - block and band, waster sheet top and bottom, angle board sides and ends\$3.50/linear foot
- Export Package - block and band, waster sheet top and bottom, steel and wood boxedSpecial Order Only

Delivery:


- 26 gauge - Stocked Signature® 200 colors (see color chart)Contact your local Customer Service Representative for lead times.
- 22 and 24 gauge - Galvalume Plus® and Signature® 200 WhiteContact your local Customer Service Representative for lead times.
- 22 and 24 gauge - Signature® 200 colorsContact your local Customer Service Representative for lead times.
- 26 gauge - Signature® 300 colors (see color chart)Contact your local Customer Service Representative for lead times.

Note:

- "AVP" has pencil ribs as a standard.
- Edge of panel in contact with concrete sheeting notch will result in excessive edge creep. Panel corrosion due to contact with concrete or any masonry product is excluded from Panel Warranty.**
- All perforated material comes with a light oil coating. Panels should be wiped clean before installing.

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**


PBR Panel with Drip Stop



NUMBER OF SQUARE FEET PER PANEL

	0"	1"	2"	3"	4"	5"	6"	7"	8"	9"	10"	11"
1 FT.	3.19	3.45	3.72	3.98	4.25	4.52	4.78	5.05	5.31	5.58	5.84	6.11
2 FT.	6.38	6.64	6.91	7.17	7.44	7.70	7.97	8.23	8.50	8.76	9.03	9.30
3 FT.	9.56	9.83	10.09	10.36	10.62	10.89	11.16	11.42	11.69	11.95	12.22	12.48
4 FT.	12.75	13.02	13.28	13.55	13.81	14.08	14.34	14.61	14.87	15.14	15.41	15.67
5 FT.	15.94	16.20	16.47	16.73	17.00	17.27	17.53	17.80	18.06	18.33	18.59	18.86
6 FT.	19.13	19.39	19.66	19.92	20.19	20.45	20.72	20.98	21.25	21.51	21.78	22.05
7 FT.	22.31	22.58	22.84	23.11	23.37	23.64	23.91	24.17	24.44	24.70	24.97	25.23
8 FT.	25.50	25.77	26.03	26.30	26.56	26.83	27.09	27.36	27.62	27.89	28.16	28.42
9 FT.	28.69	28.95	29.22	29.48	29.75	30.02	30.28	30.55	30.81	31.08	31.34	31.61
10 FT.	31.88	32.14	32.41	32.67	32.94	33.20	33.47	33.73	34.00	34.26	34.53	34.80
11 FT.	35.06	35.33	35.59	35.86	36.12	36.39	36.66	36.92	37.19	37.45	37.72	37.98
12 FT.	38.25	38.52	38.78	39.05	39.31	39.58	39.84	40.11	40.37	40.64	40.91	41.17
13 FT.	41.44	41.70	41.97	42.23	42.50	42.77	43.03	43.30	43.56	43.83	44.09	44.36
14 FT.	44.63	44.89	45.16	45.42	45.69	45.95	46.22	46.48	46.75	47.01	47.28	47.55
15 FT.	47.81	48.08	48.34	48.61	48.87	49.14	49.41	49.67	49.94	50.20	50.47	50.73
16 FT.	51.00	51.27	51.53	51.80	52.06	52.33	52.59	52.86	53.12	53.39	53.66	53.92
17 FT.	54.19	54.45	54.72	54.98	55.25	55.52	55.78	56.05	56.31	56.58	56.84	57.11
18 FT.	57.38	57.64	57.91	58.17	58.44	58.70	58.97	59.23	59.50	59.76	60.03	60.30
19 FT.	60.56	60.83	61.09	61.36	61.62	61.89	62.16	62.42	62.69	62.95	63.22	63.48
20 FT.	63.75	64.02	64.28	64.55	64.81	65.08	65.34	65.61	65.87	66.14	66.41	66.67
21 FT.	66.94	67.20	67.47	67.73	68.00	68.27	68.53	68.80	69.06	69.33	69.59	69.86
22 FT.	70.13	70.39	70.66	70.92	71.19	71.45	71.72	71.98	72.25	72.51	72.78	73.05
23 FT.	73.31	73.58	73.84	74.11	74.37	74.64	74.91	75.17	75.44	75.70	75.97	76.23
24 FT.	76.50	76.77	77.03	77.30	77.56	77.83	78.09	78.36	78.62	78.89	79.16	79.42
25 FT.	79.69	79.95	80.22	80.48	80.75	81.02	81.28	81.55	81.81	82.08	82.34	82.61
26 FT.	82.88	83.14	83.41	83.67	83.94	84.20	84.47	84.73	85.00	85.26	85.53	85.80
27 FT.	86.06	86.33	86.59	86.86	87.12	87.39	87.66	87.92	88.19	88.45	88.72	88.98
28 FT.	89.25	89.52	89.78	90.05	90.31	90.58	90.84	91.11	91.37	91.64	91.91	92.17
29 FT.	92.44	92.70	92.97	93.23	93.50	93.77	94.03	94.30	94.56	94.83	95.09	95.36
30 FT.	95.63	95.89	96.16	96.42	96.69	96.95	97.22	97.48	97.75	98.01	98.28	98.55
31 FT.	98.81	99.08	99.34	99.61	99.87	100.14	100.41	100.67	100.94	101.20	101.47	101.73
32 FT.	102.00	102.27	102.53	102.80	103.06	103.33	103.59	103.86	104.12	104.39	104.66	104.92
33 FT.	105.19	105.45	105.72	105.98	106.25	106.52	106.78	107.05	107.31	107.58	107.84	108.11
34 FT.	108.38	108.64	108.91	109.17	109.44	109.70	109.97	110.23	110.50	110.76	111.03	111.30
35 FT.	111.56	111.83	112.09	112.36	112.62	112.89	113.16	113.42	113.69	113.95	114.22	114.48
36 FT.	114.75	115.02	115.28	115.55	115.81	116.08	116.34	116.61	116.87	117.14	117.41	117.67
37 FT.	117.94	118.20	118.47	118.73	119.00	119.27	119.53	119.80	120.06	120.33	120.59	120.86
38 FT.	121.13	121.39	121.66	121.92	122.19	122.45	122.72	122.98	123.25	123.51	123.78	124.05
39 FT.	124.31	124.58	124.84	125.11	125.37	125.64	125.91	126.17	126.44	126.70	126.97	127.23
40 FT.	127.50	127.77	128.03	128.30	128.56	128.83	129.09	129.36	129.62	129.89	130.16	130.42

PBR Panel with Drip Stop



DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
29	36"	80,000	70#	Galvalume Plus® α	✓
29	36"	80,000	70#	Signature® 200 *	✓ †
26	36"	80,000	87#	Galvalume Plus® α	✓
26	36"	80,000	87#	Signature® 200 *	✓
26	36"	80,000	87#	Signature® 300 *	✓
24	36"	50,000	109#	Galvalume Plus® α	✓
24	36"	50,000	109#	Signature® 200 *	✓ †

* See Commercial/Industrial Color Chart for available colors

† Minimum quantities may be required for some colors. Please inquire.

α The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

Consult the COMMERCIAL/INDUSTRIAL OR "PBR" and "PBU" TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.

Panel Pricing:

1. All panel pricing is based on a 38 1/4" sheet width (see chart on opposite page).
2. Add \$1.05 per sheet for lengths 4'-0" and under.

Packaging Cost:

1. Maximum 3000 pounds or 75 panels per bundle.
2. Block and band only\$10.00
3. Block and band, waterproof paper wrap\$1.40/linear foot
4. Block and band, waster sheet top only\$1.60/linear foot
5. Block and band, waster sheet top and bottom\$2.80/linear foot
6. LTL Package - block and band, waster sheet top and bottom, angle board sides and ends\$3.50/linear foot
7. Export Package - block and band, waster sheet top and bottom, steel and wood boxedSpecial Order Only

Delivery:


1. 26 gauge - Stocked Signature® 200 colors (see color chart)Contact your local Customer Service Representative for lead times.
2. 22 and 24 gauge - Galvalume Plus® and Signature® 200 WhiteContact your local Customer Service Representative for lead times.
3. 22 and 24 gauge - Signature® 200 colorsContact your local Customer Service Representative for lead times.
4. 26 gauge - Signature® 300 colors (see color chart)Contact your local Customer Service Representative for lead times.

Note:

1. **Edge of panel in contact with concrete sheeting notch will result in excessive edge creep. Panel corrosion due to contact with concrete or any masonry product is excluded from Panel Warranty.**
2. **Drip stop material at eave can be fused with heat gun to prevent moisture wicking.**

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

PBC / PBD Panels



PBC Panel




PBD Panel


NUMBER OF SQUARE FEET PER PANEL

	0"	1"	2"	3"	4"	5"	6"	7"	8"	9"	10"	11"
1 FT.	2.83	3.07	3.31	3.54	3.78	4.01	4.25	4.49	4.72	4.96	5.19	5.43
2 FT.	5.67	5.90	6.14	6.37	6.61	6.85	7.08	7.32	7.55	7.79	8.03	8.26
3 FT.	8.50	8.74	8.97	9.21	9.44	9.68	9.92	10.15	10.39	10.62	10.86	11.10
4 FT.	11.33	11.57	11.81	12.04	12.28	12.51	12.75	12.99	13.22	13.46	13.69	13.93
5 FT.	14.17	14.40	14.64	14.87	15.11	15.35	15.58	15.82	16.05	16.29	16.53	16.76
6 FT.	17.00	17.24	17.47	17.71	17.94	18.18	18.42	18.65	18.89	19.12	19.36	19.60
7 FT.	19.83	20.07	20.31	20.54	20.78	21.01	21.25	21.49	21.72	21.96	22.19	22.43
8 FT.	22.67	22.90	23.14	23.37	23.61	23.85	24.08	24.32	24.55	24.79	25.03	25.26
9 FT.	25.50	25.74	25.97	26.21	26.44	26.68	26.92	27.15	27.39	27.62	27.86	28.10
10 FT.	28.33	28.57	28.81	29.04	29.28	29.51	29.75	29.99	30.22	30.46	30.69	30.93
11 FT.	31.17	31.40	31.64	31.87	32.11	32.35	32.58	32.82	33.05	33.29	33.53	33.76
12 FT.	34.00	34.24	34.47	34.71	34.94	35.18	35.42	35.65	35.89	36.12	36.36	36.60
13 FT.	36.83	37.07	37.30	37.54	37.78	38.01	38.25	38.48	38.72	38.96	39.19	39.43
14 FT.	39.67	39.90	40.14	40.37	40.61	40.85	41.08	41.32	41.55	41.79	42.03	42.26
15 FT.	42.50	42.74	42.97	43.21	43.44	43.68	43.92	44.15	44.39	44.62	44.86	45.10
16 FT.	45.33	45.57	45.80	46.04	46.28	46.51	46.75	46.98	47.22	47.46	47.69	47.93
17 FT.	48.17	48.40	48.64	48.87	49.11	49.35	49.58	49.82	50.05	50.29	50.53	50.76
18 FT.	51.00	51.24	51.47	51.71	51.94	52.18	52.42	52.65	52.89	53.12	53.36	53.60
19 FT.	53.83	54.07	54.30	54.54	54.78	55.01	55.25	55.48	55.72	55.96	56.19	56.43
20 FT.	56.67	56.90	57.14	57.37	57.61	57.85	58.08	58.32	58.55	58.79	59.03	59.26
21 FT.	59.50	59.74	59.97	60.21	60.44	60.68	60.92	61.15	61.39	61.62	61.86	62.10
22 FT.	62.33	62.57	62.80	63.04	63.28	63.51	63.75	63.98	64.22	64.46	64.69	64.93
23 FT.	65.17	65.40	65.64	65.87	66.11	66.35	66.58	66.82	67.05	67.29	67.53	67.76
24 FT.	68.00	68.24	68.47	68.71	68.94	69.18	69.42	69.65	69.89	70.12	70.36	70.60
25 FT.	70.83	71.07	71.30	71.54	71.78	72.01	72.25	72.48	72.72	72.96	73.19	73.43
26 FT.	73.67	73.90	74.14	74.37	74.61	74.85	75.08	75.32	75.55	75.79	76.03	76.26
27 FT.	76.50	76.74	76.97	77.21	77.44	77.68	77.92	78.15	78.39	78.62	78.86	79.10
28 FT.	79.33	79.57	79.80	80.04	80.28	80.51	80.75	80.98	81.22	81.46	81.69	81.93
29 FT.	82.17	82.40	82.64	82.87	83.11	83.35	83.58	83.82	84.05	84.29	84.53	84.76
30 FT.	85.00	85.24	85.47	85.71	85.94	86.18	86.42	86.65	86.89	87.12	87.36	87.60
31 FT.	87.83	88.07	88.30	88.54	88.78	89.01	89.25	89.48	89.72	89.96	90.19	90.43
32 FT.	90.67	90.90	91.14	91.37	91.61	91.85	92.08	92.32	92.55	92.79	93.03	93.26
33 FT.	93.50	93.73	93.97	94.21	94.44	94.68	94.91	95.15	95.39	95.62	95.86	96.09
34 FT.	96.33	96.57	96.80	97.04	97.28	97.51	97.75	97.98	98.22	98.46	98.69	98.93
35 FT.	99.17	99.40	99.64	99.87	100.11	100.35	100.58	100.82	101.05	101.29	101.53	101.76
36 FT.	102.00	102.23	102.47	102.71	102.94	103.18	103.41	103.65	103.89	104.12	104.36	104.59
37 FT.	104.83	105.07	105.30	105.54	105.78	106.01	106.25	106.48	106.72	106.96	107.19	107.43
38 FT.	107.67	107.90	108.14	108.37	108.61	108.85	109.08	109.32	109.55	109.79	110.03	110.26
39 FT.	110.50	110.73	110.97	111.21	111.44	111.68	111.91	112.15	112.39	112.62	112.86	113.09
40 FT.	113.33	113.57	113.80	114.04	114.28	114.51	114.75	114.98	115.22	115.46	115.69	115.93

PBC / PBD Panels



PBC Panel



PBD Panel

DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
29	32"	80,000	78#	Galvalume Plus® α	✓
29	32"	80,000	78#	Signature® 200 *	✓ †
29	32"	80,000	83#	Galvanized	Please Inquire
26	32"	80,000	98#	Galvalume Plus® α	✓
26	32"	80,000	98#	Signature® 200 *	✓
26	32"	80,000	98#	Signature® 300 *	✓
24	32"	50,000	123#	Galvalume Plus® α	✓
24	32"	50,000	123#	Signature® 200 *	✓ †
24	32"	50,000	123#	Signature® 300 *	✓ †
22	32"	50,000	156#	Galvalume Plus® α	✓
22	32"	50,000	156#	Signature® 200	Please Inquire
.024" Alum ††	32"	18,000	46#	Signature® 200 - White Only	✓

†† Perforated only

♦ "PBC" Panel not available

† Minimum quantities may be required for some colors. Please inquire.

* See Commercial/Industrial Color Chart for available colors

α The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

Consult the COMMERCIAL/INDUSTRIAL TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.

Panel Pricing:

- All "PBC" and "PBD" panel pricing is based on a 34" sheet width (see chart on opposite page).
- Add \$8.00 per square for embossing.
- Add \$1.05 per sheet for lengths 4'-0" and under.
- Perforated aluminum is 1/8" round on .324" staggered centers. Approximately 13.5% open area. **Any other color, gauge or perforation pattern - Please inquire**

Packaging Cost:

- Maximum 3000 pounds or 75 panels per bundle.
- Block and band only\$10.00
- Block and band, waterproof paper wrap\$1.40/linear foot
- Block and band, waster sheet top only\$1.60/linear foot
- Block and band, waster sheet top and bottom\$2.80/linear foot
- LTL Package - block and band, waster sheet top and bottom, angle board sides and ends\$3.50/linear foot
- Export Package - block and band, waster sheet top and bottom, steel and wood boxedSpecial Order Only

Delivery:


- 29 and 26 gauge - Stocked Signature® 200 colors (see color chart)Contact your local Customer Service Representative for lead times.
- 22 and 24 gauge - Galvalume Plus® and Signature® 200 WhiteContact your local Customer Service Representative for lead times.
- 22 and 24 gauge - Signature® 200 colorsContact your local Customer Service Representative for lead times.
- 26 gauge - Signature® 300 colors (see color chart)Contact your local Customer Service Representative for lead times.

Note:

- Edge of panel in contact with concrete sheeting notch will result in excessive edge creep. Panel corrosion due to contact with concrete or any masonry product is excluded from Panel Warranty.**
- All perforated material comes with a light oil coating. Panels should be wiped clean before installing.

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**


7.2 Panel



NUMBER OF SQUARE FEET PER PANEL

	0"	1"	2"	3"	4"	5"	6"	7"	8"	9"	10"	11"
1 FT.	3.26	3.53	3.80	4.07	4.35	4.62	4.89	5.16	5.43	5.70	5.98	6.25
2 FT.	6.52	6.79	7.06	7.34	7.61	7.88	8.15	8.42	8.69	8.96	9.24	9.51
3 FT.	9.78	10.05	10.32	10.60	10.87	11.14	11.41	11.68	11.95	12.22	12.50	12.77
4 FT.	13.04	13.31	13.58	13.86	14.13	14.40	14.67	14.94	15.21	15.49	15.76	16.03
5 FT.	16.30	16.57	16.85	17.12	17.39	17.66	17.93	18.20	18.47	18.75	19.02	19.29
6 FT.	19.56	19.83	20.11	20.38	20.65	20.92	21.19	21.46	21.73	22.01	22.28	22.55
7 FT.	22.82	23.09	23.37	23.64	23.91	24.18	24.45	24.72	24.99	25.27	25.54	25.81
8 FT.	26.08	26.35	26.63	26.90	27.17	27.44	27.71	27.98	28.26	28.53	28.80	29.07
9 FT.	29.34	29.62	29.89	30.16	30.43	30.70	30.97	31.24	31.52	31.79	32.06	32.33
10 FT.	32.60	32.88	33.15	33.42	33.69	33.96	34.23	34.50	34.78	35.05	35.32	35.59
11 FT.	35.86	36.14	36.41	36.68	36.95	37.22	37.49	37.76	38.04	38.31	38.58	38.85
12 FT.	39.12	39.40	39.67	39.94	40.21	40.48	40.75	41.03	41.30	41.57	41.84	42.11
13 FT.	42.39	42.66	42.93	43.20	43.47	43.74	44.01	44.29	44.56	44.83	45.10	45.37
14 FT.	45.65	45.92	46.19	46.46	46.73	47.00	47.27	47.55	47.82	48.09	48.36	48.63
15 FT.	48.91	49.18	49.45	49.72	49.99	50.26	50.54	50.81	51.08	51.35	51.62	51.89
16 FT.	52.17	52.44	52.71	52.98	53.25	53.52	53.80	54.07	54.34	54.61	54.88	55.15
17 FT.	55.43	55.70	55.97	56.24	56.51	56.78	57.06	57.33	57.60	57.87	58.14	58.41
18 FT.	58.69	58.96	59.23	59.50	59.77	60.04	60.32	60.59	60.86	61.13	61.40	61.67
19 FT.	61.95	62.22	62.49	62.76	63.03	63.31	63.58	63.85	64.12	64.39	64.66	64.93
20 FT.	65.21	65.48	65.75	66.02	66.29	66.57	66.84	67.11	67.38	67.65	67.92	68.19
21 FT.	68.47	68.74	69.01	69.28	69.55	69.83	70.10	70.37	70.64	70.91	71.18	71.45
22 FT.	71.73	72.00	72.27	72.54	72.81	73.09	73.36	73.63	73.90	74.17	74.44	74.72
23 FT.	74.99	75.26	75.53	75.80	76.08	76.35	76.62	76.89	77.16	77.43	77.70	77.98
24 FT.	78.25	78.52	78.79	79.06	79.34	79.61	79.88	80.15	80.42	80.69	80.96	81.24
25 FT.	81.51	81.78	82.05	82.32	82.60	82.87	83.14	83.41	83.68	83.95	84.23	84.50
26 FT.	84.77	85.04	85.31	85.58	85.86	86.13	86.40	86.67	86.94	87.21	87.49	87.76
27 FT.	88.03	88.30	88.57	88.85	89.12	89.39	89.66	89.93	90.20	90.47	90.75	91.02
28 FT.	91.29	91.56	91.83	92.11	92.38	92.65	92.92	93.19	93.46	93.73	94.01	94.28
29 FT.	94.55	94.82	95.09	95.37	95.64	95.91	96.18	96.45	96.72	97.00	97.27	97.54
30 FT.	97.81	98.08	98.36	98.63	98.90	99.17	99.44	99.71	99.98	100.26	100.53	100.80
31 FT.	101.07	101.34	101.62	101.89	102.16	102.43	102.70	102.97	103.24	103.52	103.79	104.06
32 FT.	104.33	104.60	104.88	105.15	105.42	105.69	105.96	106.23	106.50	106.78	107.05	107.32
33 FT.	107.59	107.86	108.14	108.41	108.68	108.95	109.22	109.49	109.77	110.04	110.31	110.58
34 FT.	110.85	111.13	111.40	111.67	111.94	112.21	112.48	112.75	113.03	113.30	113.57	113.84
35 FT.	114.11	114.39	114.66	114.93	115.20	115.47	115.74	116.01	116.29	116.56	116.83	117.10
36 FT.	117.37	117.65	117.92	118.19	118.46	118.73	119.00	119.27	119.55	119.82	120.09	120.36
37 FT.	120.63	120.91	121.18	121.45	121.72	121.99	122.26	122.54	122.81	123.08	123.35	123.62
38 FT.	123.90	124.17	124.44	124.71	124.98	125.25	125.52	125.80	126.07	126.34	126.61	126.88
39 FT.	127.16	127.43	127.70	127.97	128.24	128.51	128.78	129.06	129.33	129.60	129.87	130.14
40 FT.	130.42	130.69	130.96	131.23	131.50	131.77	132.04	132.32	132.59	132.86	133.13	133.40

7.2 Panel



DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
29	36"	80,000	72#	Galvalume Plus®	✓
29	36"	80,000	72#	Signature® 200	✓ †
26	36"	80,000	96#	Galvalume Plus®	✓
26	36"	80,000	96#	Signature® 200 *	✓ †
24	36"	50,000	118#	Galvalume Plus® ⌘	✓
24	36"	50,000	118#	Signature® 200 *	✓ †
24	36"	50,000	118#	Signature® 300 *	✓ †
22	36"	50,000	146#	Galvalume Plus® ⌘	✓
22	36"	50,000	146#	Signature® 200 *	Please Inquire
22	36"	50,000	146#	Signature® 300 *	Please Inquire

* See Commercial/Industrial Color Chart for available colors

† Minimum quantities may be required for some colors. Please inquire.

▣ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

Consult the COMMERCIAL/INDUSTRIAL TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.

Panel Pricing:

- All 7.2 panel pricing is based on a 39 1/8" sheet width (see chart on opposite page).
- Add \$8.00 per square for embossing.
- Add \$1.05 per sheet for lengths 4'-0" and under.

Packaging Cost:

- Maximum 3000 pounds or 75 panels per bundle.
- Block and band only\$10.00
- Block and band, waterproof paper wrap\$1.40/linear foot
- Block and band, waster sheet top only\$1.60/linear foot
- Block and band, waster sheet top and bottom\$2.80/linear foot
- LTL Package - block and band, waster sheet top and bottom, angle board sides and ends\$3.50/linear foot
- Export Package - block and band, waster sheet top and bottom, steel and wood boxedSpecial Order Only

Delivery:


- 29 gauge - stocked Signature® 200 colors (see color char.....Contact your local Customer Service Representative for lead times.
- 26, 24 and 22 gauge - (see color chart)Contact your local Customer Service Representative for lead times.

Note:

- Edge of panel in contact with concrete sheeting notch will result in excessive edge creep. Panel corrosion due to contact with concrete or any masonry product is excluded from Panel Warranty.**
- All perforated material comes with a light oil coating. Panels should be wiped clean before installing.
- Panel should be ordered "Reverse Rolled" for use on walls. This allows the lap fasteners to be recessed and less visible.**

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**


Retro-R® Panel



NUMBER OF SQUARE FEET PER PANEL

	0"	1"	2"	3"	4"	5"	6"	7"	8"	9"	10"	11"
1 FT.	3.21	3.48	3.74	4.01	4.28	4.54	4.81	5.08	5.34	5.61	5.88	6.15
2 FT.	6.42	6.68	6.95	7.22	7.48	7.75	8.02	8.29	8.55	8.82	9.09	9.35
3 FT.	9.62	9.89	10.16	10.43	10.69	10.96	11.23	11.49	11.76	12.03	12.29	12.56
4 FT.	12.83	13.10	13.37	13.63	13.90	14.17	14.43	14.70	14.97	15.24	15.50	15.77
5 FT.	16.04	16.31	16.57	16.84	17.11	17.38	17.64	17.91	18.18	18.44	18.71	18.98
6 FT.	19.25	19.52	19.78	20.05	20.32	20.58	20.85	21.12	21.38	21.65	21.92	22.19
7 FT.	22.46	22.72	22.99	23.26	23.52	23.79	24.06	24.33	24.59	24.86	25.13	25.39
8 FT.	25.66	25.93	26.20	26.47	26.73	27.00	27.27	27.53	27.80	28.07	28.33	28.60
9 FT.	28.87	29.14	29.41	29.67	29.94	30.21	30.47	30.74	31.01	31.28	31.54	31.81
10 FT.	32.08	32.35	32.61	32.88	33.15	33.42	33.68	33.95	34.22	34.48	34.75	35.02
11 FT.	35.29	35.56	35.82	36.09	36.36	36.62	36.89	37.16	37.42	37.69	37.96	38.23
12 FT.	38.50	38.76	39.03	39.30	39.56	39.83	40.10	40.37	40.63	40.90	41.17	41.43
13 FT.	41.70	41.97	42.24	42.51	42.77	43.04	43.31	43.57	43.84	44.11	44.37	44.64
14 FT.	44.91	45.18	45.45	45.71	45.98	46.25	46.51	46.78	47.05	47.32	47.58	47.85
15 FT.	48.12	48.39	48.65	48.92	49.19	49.46	49.72	49.99	50.26	50.52	50.79	51.06
16 FT.	51.33	51.60	51.86	52.13	52.40	52.66	52.93	53.20	53.46	53.73	54.00	54.27
17 FT.	54.54	54.80	55.07	55.34	55.60	55.87	56.14	56.41	56.67	56.94	57.21	57.47
18 FT.	57.74	58.01	58.28	58.55	58.81	59.08	59.35	59.61	59.88	60.15	60.41	60.68
19 FT.	60.95	61.22	61.49	61.75	62.02	62.29	62.55	62.82	63.09	63.36	63.62	63.89
20 FT.	64.16	64.43	64.69	64.96	65.23	65.49	65.76	66.03	66.30	66.56	66.83	67.10
21 FT.	67.37	67.64	67.90	68.17	68.44	68.70	68.97	69.24	69.50	69.77	70.04	70.31
22 FT.	70.58	70.84	71.11	71.38	71.64	71.91	72.18	72.45	72.71	72.98	73.25	73.51
23 FT.	73.78	74.05	74.32	74.59	74.85	75.12	75.39	75.65	75.92	76.19	76.45	76.72
24 FT.	76.99	77.26	77.53	77.79	78.06	78.33	78.59	78.86	79.13	79.40	79.66	79.93
25 FT.	80.20	80.47	80.73	81.00	81.27	81.54	81.80	82.07	82.34	82.60	82.87	83.14
26 FT.	83.41	83.68	83.94	84.21	84.48	84.74	85.01	85.28	85.54	85.81	86.08	86.35
27 FT.	86.62	86.88	87.15	87.42	87.68	87.95	88.22	88.49	88.75	89.02	89.29	89.55
28 FT.	89.82	90.09	90.36	90.63	90.89	91.16	91.43	91.69	91.96	92.23	92.49	92.76
29 FT.	93.03	93.30	93.57	93.83	94.10	94.37	94.63	94.90	95.17	95.44	95.70	95.97
30 FT.	96.24	96.51	96.77	97.04	97.31	97.58	97.84	98.11	98.38	98.64	98.91	99.18
31 FT.	99.45	99.72	99.98	100.25	100.52	100.78	101.05	101.32	101.58	101.85	102.12	102.39
32 FT.	102.66	102.92	103.19	103.46	103.72	103.99	104.26	104.53	104.79	105.06	105.33	105.59
33 FT.	105.86	106.13	106.40	106.67	106.93	107.20	107.47	107.73	108.00	108.27	108.53	108.80
34 FT.	109.07	109.34	109.61	109.87	110.14	110.41	110.67	110.94	111.21	111.48	111.74	112.01
35 FT.	112.28	112.55	112.81	113.08	113.35	113.62	113.88	114.15	114.42	114.68	114.95	115.22
36 FT.	115.49	115.76	116.02	116.29	116.56	116.82	117.09	117.36	117.62	117.89	118.16	118.43
37 FT.	118.70	118.96	119.23	119.50	119.76	120.03	120.30	120.57	120.83	121.10	121.37	121.63
38 FT.	121.90	122.17	122.44	122.71	122.97	123.24	123.51	123.77	124.04	124.31	124.57	124.84
39 FT.	125.11	125.38	125.65	125.91	126.18	126.45	126.71	126.98	127.25	127.52	127.78	128.05
40 FT.	128.32	128.59	128.85	129.12	129.39	129.66	129.92	130.19	130.46	130.72	130.99	131.26

Retro-R® Panel



DESCRIPTION					PRICED PER SQUARE
GAUGE	COVERAGE	YIELD (PSI)	WEIGHT PER SQ.	FINISH	PRICE
29	36"	80,000	64#	Galvalume Plus® α	✓
29	36"	80,000	64#	Signature® 200 *	✓
26	36"	80,000	84#	Signature® 200 *	Please Inquire

*** See Residential Color Chart for available colors.**

α The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

Consult the COMMERCIAL/INDUSTRIAL OR RETRO-R® PANEL TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.

Panel Pricing:

1. The Retro-R® panel pricing is based on a 38 1/4" sheet width (see chart on opposite page).
2. Minimum quantities may be required for certain panel gauges and/or colors.
3. Please inquire. Add \$1.05 per sheet for lengths 4'-0" and under.
4. Pricing includes the drip stop backer.

Packaging Cost:

1. Maximum 3000 pounds or 75 panels per bundle.
2. Block and band, waster sheet top and bottom\$2.80/linear foot
3. LTL Package - block and band, waster sheet top and bottom, angle board sides and ends\$3.50/linear foot
4. Export Packaging per quote only.

Delivery:

1. 29 gauge - Stocked Signature® 200 colors (see Residential Color Chart, Slimline® panel)Contact your local Customer Service Representative for lead times.
2. 29 gauge - Signature® 300 colors (contact for selection)Contact your local Customer Service Representative for lead times.
3. 26 gauge - (Galvalume Plus® and Signature® 200, 150 Square min.)Contact your local Customer Service Representative for lead times.

Note:

1. Maximum panel length is 40'0".
2. Existing panels to which the Retro-R® panel will be attached, must be 36" wide and have a major ribs a minimum of 1 1/4" deep or deeper.
3. **Drip stop material at eave can be fused with heat gun to prevent moisture wicking.**

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

Cee or Zee



Cee



Zee

DESCRIPTION				PRICED PER 100 LF	
NORMAL SIZE	ACTUAL SIZE *	GAUGE	WEIGHT PER LF	RED OXIDE	GALVANIZED
4 x 2	4 x 2	16	1.75#	✓	✓
4 x 2	4 x 2	14	2.10#	✓	✓
4 x 2½	4 x 2⅛ x 2¾	16	1.95#	✓	✓
4 x 2½	4 x 2⅛ x 2¾	14	2.33#	✓	✓
5 x 2½	5 x 2⅛ x 2¾	16	2.15#	✓	✓
5 x 2½	5 x 2⅛ x 2¾	14	2.57#	✓	✓
6 x 2½	6 x 2⅛ x 2¾	16	2.34#	✓	✓
6 x 2½	6 x 2⅛ x 2¾	14	2.80#	✓	✓
7 x 2½	7 x 2⅛ x 2¾	16	2.54#	✓	✓
7 x 2½	7 x 2⅛ x 2¾	14	3.04#	✓	✓
7 x 3	7 x 2⅝ x 2⅞	14	3.27#	✓	✓
7 x 3	7 x 2⅝ x 2⅞	12	4.88#	✓	✓
8 x 2½	8 x 2⅛ x 2¾	16	2.73#	✓	✓
8 x 2½	8 x 2⅛ x 2¾	14	3.27#	✓	✓
8 x 2½	8 x 2⅛ x 2¾	13	3.95#	✓	N/A
8 x 2½	8 x 2⅛ x 2¾	12	4.88#	✓	✓
8 x 3	8 x 2⅝ x 2⅞	16	2.93#	✓	✓
8 x 3	8 x 2⅝ x 2⅞	14	3.50#	✓	✓
8 x 3	8 x 2⅝ x 2⅞	12	5.23#	✓	✓

* Actual size does not apply to Cees. It refers to unequal flange Zees only.

PUNCHING PATTERNS (SPECIFY BY PATTERN LETTER):

Pattern A: Common Web (for Simple Span, Short Lap, Long Lap 3' Offset and Max Lap)\$1.05 per zee or cee

Pattern B: Common Web (all laps available in Pattern A plus 5' Offset and Super Lap)\$1.25 per zee or cee

Pattern D: Common Flange (for Simple Span, Short Lap, Long Lap, 3' Offset and Max Lap)\$1.25 per zee or cee

Pattern E: Common Flange (all laps available in Pattern D plus 5' Offset and Super Lap)\$1.55 per zee or cee

SPECIAL PUNCHING:\$2.65 per zee or cee

PRICING Note:

1. Consult the technical manuals for proper production application, design details and other product information.
2. All common patterns have the first set of holes 1¾" from the end of the purlin.
3. Length tolerance is ± ¼"
4. **For pricing, round lengths up to the nearest 3" increment - Parts shorter than 5'-0" are priced as minimum 5'-0" length.**

Cee or Zee (Continued)



DESCRIPTION				PRICED PER 100 LF	
NORMAL SIZE	ACTUAL SIZE *	GAUGE	WEIGHT PER LF	RED OXIDE	GALVANIZED
8 x 3½	8 x 3⅛ x 3 ¾	14	3.74#	✓	✓
8 x 3½	8 x 3⅛ x 3 ¾	13	4.52#	✓	N/A
8 x 3½	8 x 3⅛ x 3 ¾	12	5.58#	✓	✓
9 x 2½	9 x 2⅞ x 2 ¾	16	2.93#	✓	✓
9 x 2½	9 x 2⅞ x 2 ¾	14	3.50#	✓	✓
9 x 2½	9 x 2⅞ x 2 ¾	12	5.23#	✓	✓
9 x 3	9 x 2⅝ x 2 ⅞	14	3.74#	✓	✓
9 x 3	9 x 2⅝ x 2 ⅞	12	5.58#	✓	✓
10 x 2½	10 x 2⅞ x 2 ¾	14	3.74#	✓	✓
10 x 2½	10 x 2⅞ x 2 ¾	12	5.58#	✓	✓
10 x 3	10 x 2⅝ x 2 ⅞	14	3.97#	✓	✓
10 x 3	10 x 2⅝ x 2 ⅞	12	5.93#	✓	✓
10 x 3½	10 x 3⅛ x 3 ¾	14	4.21#	✓	✓
10 x 3½	10 x 3⅛ x 3 ¾	12	6.28#	✓	✓
11 x 2½	11 x 2⅞ x 2 ¾	14	3.97#	✓	✓
11 x 2½	11 x 2⅞ x 2 ¾	12	5.93#	✓	✓
11 x 3½	11 x 3⅛ x 3 ¾	14	4.44#	✓	✓
11 x 3½	11 x 3⅛ x 3 ¾	12	6.63#	✓	✓
12 x 2½	12 x 2⅞ x 2 ¾	14	4.21#	✓	✓
12 x 2½	12 x 2⅞ x 2 ¾	12	6.28#	✓	✓
12 x 3	12 x 2⅝ x 2 ⅞	14	4.44#	✓	✓
12 x 3	12 x 2⅝ x 2 ⅞	12	6.63#	✓	✓
12 x 3½	12 x 3⅛ x 3 ¾	14	4.68#	✓	✓
12 x 3½	12 x 3⅛ x 3 ¾	12	6.98#	✓	✓

* Actual size does not apply to Cees. It refers to unequal flangeZees only.

PUNCHING PATTERNS (SPECIFY BY PATTERN LETTER):

- Pattern A: Common Web (for Simple Span, Short Lap, Long Lap 3' Offset and Max Lap)\$1.05 per zee or cee
- Pattern B: Common Web (all laps available in Pattern A plus 5' Offset and Super Lap)\$1.25 per zee or cee
- Pattern D: Common Flange (for Simple Span, Short Lap, Long Lap, 3' Offset and Max Lap)\$1.25 per zee or cee
- Pattern E: Common Flange (all laps available in Pattern D plus 5' Offset and Super Lap)\$1.55 per zee or cee
- SPECIAL PUNCHING:**\$2.65 per zee or cee

PRICING NOTES:

1. Consult the technical manuals for proper production application, design details and other product information.
2. All common patterns have the first set of holes 1 ¾" from the end of the purlin.
3. Length tolerance is ± ¼"
4. **For pricing, round lengths up to the nearest 3" increment - Parts shorter than 5'-0" are priced as minimum 5'-0" length.**



Cee Only



DESCRIPTION			PRICED PER 100 LF	
NOMINAL SIZE	GAUGE	WEIGHT PER LF	RED OXIDE	GALVANIZED
6 x 3	16	2.54#	✓	✓
6 x 3	14	3.04#	✓	✓
6 x 3 ½	14	3.27#	✓	✓
6 x 3 ½	12	4.88#	✓	✓
6 x 4	14	3.50#	✓	✓
6 x 4	12	5.23#	✓	✓
8 x 4	14	3.97#	✓	✓
8 x 4	12	5.93#	✓	✓
10 x 4	14	4.44#	✓	✓
10 x 4	12	6.63#	✓	✓
11 x 3	14	4.21#	✓	✓
11 x 3	12	6.28#	✓	✓
12 x 4	14	4.91#	✓	✓
12 x 4	12	7.33#	✓	✓

* Actual size does not apply to Cees. It refers to unequal flange Zees only.

PUNCHING PATTERNS (SPECIFY BY PATTERN LETTER):

Pattern A: Common Web (for Simple Span, Short Lap, Long Lap 3' Offset and Max Lap)\$1.05 per zee or cee

Pattern B: Common Web (all laps available in Pattern A plus 5' Offset and Super Lap)\$1.25 per zee or cee

Pattern D: Common Flange (for Simple Span, Short Lap, Long Lap, 3' Offset and Max Lap)\$1.25 per zee or cee

Pattern E: Common Flange (all laps available in Pattern D plus 5' Offset and Super Lap)\$1.55 per zee or cee

SPECIAL PUNCHING:\$2.65 per zee or cee

PRICING NOTES:

1. Consult the technical manuals for proper production application, design details and other product information.
2. All common patterns have the first set of holes 1 ¾" from the end of the purlin.
3. Length tolerance is ± ¼"
4. **For pricing, round lengths up to the nearest 3" increment - Parts shorter than 5'-0" are priced as minimum 5'-0" length.**

Zee Only



DESCRIPTION				PRICED PER 100 LF	
NORMAL SIZE	ACTUAL SIZE	GAUGE	WEIGHT PER LF	RED OXIDE	GALVANIZED
3½ x 1½	N/A	16	1.56#	✓	✓
3½ x 1½	N/A	14	1.86#	✓	✓
4 x 3	4 x 2⅝ x 2⅞	16	2.15#	✓	✓
4 x 3	4 x 2⅝ x 2⅞	14	2.57#	✓	✓
4 x 3½	4 x 3⅞ x 3⅜	16	2.34#	✓	✓
4 x 3½	4 x 3⅞ x 3⅜	14	2.80#	✓	✓
5 x 3	5 x 2⅝ x 2⅞	16	2.34#	✓	✓
5 x 3	5 x 2⅝ x 2⅞	14	2.80#	✓	✓
5 x 3½	5 x 3⅞ x 3⅜	16	2.54#	✓	✓
5 x 3½	5 x 3⅞ x 3⅜	14	3.04#	✓	✓
7 x 3½	7 x 3⅞ x 3⅜	16	2.93#	✓	✓
7 x 3½	7 x 3⅞ x 3⅜	14	3.50#	✓	✓
7 x 3½	7 x 3⅞ x 3⅜	12	5.23#	✓	✓
9 x 3½	9 x 3⅞ x 3⅜	14	3.97#	✓	✓
9 x 3½	9 x 3⅞ x 3⅜	12	5.93#	✓	✓

PUNCHING PATTERNS (SPECIFY BY PATTERN LETTER):

- Pattern A: Common Web (for Simple Span, Short Lap, Long Lap 3' Offset and Max Lap)\$1.05 per zee or cee
- Pattern B: Common Web (all laps available in Pattern A plus 5' Offset and Super Lap)\$1.25 per zee or cee
- Pattern D: Common Flange (for Simple Span, Short Lap, Long Lap, 3' Offset and Max Lap)\$1.25 per zee or cee
- Pattern E: Common Flange (all laps available in Pattern D plus 5' Offset and Super Lap)\$1.55 per zee or cee
- SPECIAL PUNCHING:**\$2.65 per zee or cee

PRICING NOTES:

1. Consult the technical manuals for proper production application, design details and other product information.
2. All common patterns have the first set of holes 1¾" from the end of the purlin.
3. Length tolerance is ± ¼"
4. **For pricing, round lengths up to the nearest 3" increment - Parts shorter than 5'-0" are priced as minimum 5'-0" length.**

Channel





DESCRIPTION						PRICED PER EACH	
SIZE	GIRTH	GAUGE	WEIGHT EACH RED OXIDE	WEIGHT EACH GALVANIZED	LENGTH	RED OXIDE	GALVANIZED
4 1/8 x 2	7 15/16	16	31.13#	32.24#	20'-0"	✓	✓
4 1/8 x 2	7 15/16	16	38.92#	40.31#	25'-0"	✓	✓
4 1/8 x 2	7 15/16	14	37.25#	38.36#	20'-0"	✓	✓
4 1/8 x 2	7 15/16	14	46.56#	47.94#	25'-0"	✓	✓
6 1/8 x 2	9 15/16	16	38.98#	40.37#	20'-0"	✓	✓
6 1/8 x 2	9 15/16	16	48.72#	50.46#	25'-0"	✓	✓
6 1/8 x 2	9 15/16	14	46.63#	48.02#	20'-0"	✓	✓
6 1/8 x 2	9 15/16	14	58.29#	60.03#	25'-0"	✓	✓
6 1/8 x 2	9 15/16	12	69.60#	70.99#	20'-0"	✓	✓
6 1/8 x 2	9 15/16	12	87.00#	88.74#	25'-0"	✓	✓
8 1/8 x 2	11 15/16	16	46.82#	48.49#	20'-0"	✓	✓
8 1/8 x 2	11 15/16	16	58.53#	60.62#	25'-0"	✓	✓
8 1/8 x 2	11 15/16	14	56.02#	57.68#	20'-0"	✓	✓
8 1/8 x 2	11 15/16	14	70.02#	72.11#	25'-0"	✓	✓
8 1/8 x 2	11 15/16	12	83.61#	85.28#	20'-0"	✓	✓
8 1/8 x 2	11 15/16	12	104.51#	106.60#	25'-0"	✓	✓
10 1/8 x 2	13 15/16	16	54.67#	56.62#	20'-0"	✓	✓
10 1/8 x 2	13 15/16	16	68.33#	70.77#	25'-0"	✓	✓
10 1/8 x 2	13 15/16	14	65.40#	67.35#	20'-0"	✓	✓
10 1/8 x 2	13 15/16	14	81.76#	84.19#	25'-0"	✓	✓
10 1/8 x 2	13 15/16	12	97.62#	99.57#	20'-0"	✓	✓
10 1/8 x 2	13 15/16	12	122.02#	124.46#	25'-0"	✓	✓

Consult the COMMERCIAL/INDUSTRIAL TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.

Note:

- For lengths other than 20'-0", use custom structural shapes chart on page 22.

Angle - 2 x 2, 2 x 4, and 3 x 3



DESCRIPTION					PRICED PER EACH
SIZE	GAUGE	FINISH	WEIGHT EACH	LENGTH	PRICE
2 x 2	14	Red Oxide	18.48#	20'-0"	✓
2 x 2	14	Galvanized	19.03#	20'-0"	✓
2 x 2	16	Red Oxide	15.44#	20'-0"	✓
2 x 2	16	Galvanized	16.00#	20'-0"	✓
2 x 4	14	Red Oxide	27.86#	20'-0"	✓
2 x 4	14	Galvanized	28.69#	20'-0"	✓
2 x 4	16	Red Oxide	23.29#	20'-0"	✓
2 x 4	16	Galvanized	24.12#	20'-0"	✓
3 x 3	14	Red Oxide	27.86#	20'-0"	✓
3 x 3	14	Galvanized	28.69#	20'-0"	✓
3 x 3	16	Red Oxide	23.29#	20'-0"	✓
3 x 3	16	Galvanized	24.12#	20'-0"	✓

Note:

- For lengths other than 20'-0", use custom structural shapes chart on page 22.

Eave Strut - 8 x 5 x 2³/₄ - Standard Length



DESCRIPTION					PRICED PER EACH
SIZE	GAUGE	FINISH	WEIGHT EACH	LENGTH	PRICE
8 x 5 x 2 ³ / ₄	14	Red Oxide	84.00#	19'-11 1/2"	✓
8 x 5 x 2 ³ / ₄	14	Red Oxide	105.04#	24'-11 1/2"	✓
8 x 5 x 2 ³ / ₄	14	Red Oxide	126.09#	29'-11 1/2"	✓
8 x 5 x 2 ³ / ₄	14	Galvanized	86.50#	19'-11 1/2"	✓
8 x 5 x 2 ³ / ₄	14	Galvanized	108.17#	24'-11 1/2"	✓
8 x 5 x 2 ³ / ₄	14	Galvanized	129.84#	29'-11 1/2"	✓
8 x 5 x 2 ³ / ₄	12	Red Oxide	125.37#	19'-11 1/2"	✓
8 x 5 x 2 ³ / ₄	12	Red Oxide	156.78#	24'-11 1/2"	✓
8 x 5 x 2 ³ / ₄	12	Red Oxide	188.19#	29'-11 1/2"	✓
8 x 5 x 2 ³ / ₄	12	Galvanized	127.88#	19'-11 1/2"	✓
8 x 5 x 2 ³ / ₄	12	Galvanized	159.92#	24'-11 1/2"	✓
8 x 5 x 2 ³ / ₄	12	Galvanized	191.95#	29'-11 1/2"	✓

Eave Strut - 8 x 5 x 2³/₄ - Custom Length

DESCRIPTION				PRICED PER 100 LF
SIZE	GAUGE	FINISH	WEIGHT PER LF	PRICE
8 x 5 x 2 ³ / ₄	14	Red Oxide	4.17#	✓
8 x 5 x 2 ³ / ₄	14	Galvanized	4.17#	✓
8 x 5 x 2 ³ / ₄	12	Red Oxide	6.20#	✓
8 x 5 x 2 ³ / ₄	12	Galvanized	6.20#	✓

Consult the COMMERCIAL/INDUSTRIAL TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.

Specify punch pattern - No punch, Standard punch or Optional punch

Special Punching:.....Add \$2.65per Eave Strut

Pricing Note:

1. All optional patterns have the first set of holes 1³/₄" from the end of the eave strut.
2. All standard patterns have the first set of holes 1¹/₄" from the end of the eave strut.
3. Refer to Commercial/Industrial Technical/Product Information booklet for further information on punch patterns.
4. Length tolerance is ± 1/4".
5. **For pricing, round lengths up to the nearest 3" increment - Parts shorter than 5'-0" are priced as minimum 5'-0" length.**

Eave Strut - 8 x 5 x 5 - Standard Length



DESCRIPTION					PRICED PER EACH
SIZE	GAUGE	FINISH	WEIGHT EACH	LENGTH	PRICE
8 x 5 x 5	14	Red Oxide	93.37#	19'-11 1/2"	✓
8 x 5 x 5	14	Red Oxide	116.76#	24'-11 1/2"	✓
8 x 5 x 5	14	Red Oxide	140.15#	29'-11 1/2"	✓
8 x 5 x 5	14	Galvanized	96.14#	19'-11 1/2"	✓
8 x 5 x 5	14	Galvanized	120.23#	24'-11 1/2"	✓
8 x 5 x 5	14	Galvanized	144.31#	29'-11 1/2"	✓
8 x 5 x 5	12	Red Oxide	139.35#	19'-11 1/2"	✓
8 x 5 x 5	12	Red Oxide	174.26#	24'-11 1/2"	✓
8 x 5 x 5	12	Red Oxide	209.17#	29'-11 1/2"	✓
8 x 5 x 5	12	Galvanized	142.14#	19'-11 1/2"	✓
8 x 5 x 5	12	Galvanized	177.75#	24'-11 1/2"	✓
8 x 5 x 5	12	Galvanized	213.36#	29'-11 1/2"	✓

Eave Strut - 8 x 5 x 5 - Custom Length

DESCRIPTION				PRICED PER 100 LF
SIZE	GAUGE	FINISH	WEIGHT PER LF	PRICE
8 x 5 x 5	14	Red Oxide	4.64#	✓
8 x 5 x 5	14	Galvanized	4.64#	✓
8 x 5 x 5	12	Red Oxide	6.89#	✓
8 x 5 x 5	12	Galvanized	6.89#	✓

Consult the **COMMERCIAL/INDUSTRIAL TECHNICAL/PRODUCT INFORMATION MANUAL** for proper product application, design details and other product information.

Specify punch pattern - No punch, Standard punch or Optional punch

Special Punching:.....Add \$2.65per Eave Strut

Pricing Note:

1. All optional patterns have the first set of holes 1 3/4" from the end of the eave strut.
2. All standard patterns have the first set of holes 1 1/4" from the end of the eave strut.
3. Refer to Commercial/Industrial Technical/Product Information booklet for further information on punch patterns.
4. Length tolerance is ± 1/4".
5. **For pricing, round lengths up to the nearest 3" increment - Parts shorter than 5'-0" are priced as minimum 5'-0" length.**

Custom Structural Shapes

DESCRIPTION			PRICED PER 100 LF	
PART #	GIRTH	GAUGE	RED OXIDE	GALVANIZED
PL03	3 ¹⁵ / ₁₆ "	16	✓	✓
PL03	3 ¹⁵ / ₁₆ "	14	✓	✓
PL05	5 ¹⁵ / ₁₆ "	16	✓	✓
PL05	5 ¹⁵ / ₁₆ "	14	✓	✓
PL07	7 ¹⁵ / ₁₆ "	16	✓	✓
PL07	7 ¹⁵ / ₁₆ "	14	✓	✓
PL08	8 ¹⁵ / ₁₆ "	16	✓	✓
PL08	8 ¹⁵ / ₁₆ "	14	✓	✓
PL09	9 ¹⁵ / ₁₆ "	16	✓	✓
PL09	9 ¹⁵ / ₁₆ "	14	✓	✓
PL010	10 ¹⁵ / ₁₆ "	16	✓	✓
PL010	10 ¹⁵ / ₁₆ "	14	✓	✓
PL011	11 ¹⁵ / ₁₆ "	16	✓	✓
PL011	11 ¹⁵ / ₁₆ "	14	✓	✓
PL012	12 ¹⁵ / ₁₆ "	16	✓	✓
PL012	12 ¹⁵ / ₁₆ "	14	✓	✓
PL013	13 ¹⁵ / ₁₆ "	16	✓	✓
PL013	13 ¹⁵ / ₁₆ "	14	✓	✓
PL013	13 ¹⁵ / ₁₆ "	12	✓	✓
PL014	14 ¹⁵ / ₁₆ "	16	✓	✓
PL014	14 ¹⁵ / ₁₆ "	14	✓	✓
PL014	14 ¹⁵ / ₁₆ "	12	✓	✓
PL015	15 ¹⁵ / ₁₆ "	14	✓	✓
PL015	15 ¹⁵ / ₁₆ "	12	✓	✓
PL016	16 ¹⁵ / ₁₆ "	14	✓	✓
PL016	16 ¹⁵ / ₁₆ "	12	✓	✓
PL017	17 ¹⁵ / ₁₆ "	14	✓	✓
PL017	17 ¹⁵ / ₁₆ "	12	✓	✓
PL018	18 ¹⁵ / ₁₆ "	14	✓	✓
PL018	18 ¹⁵ / ₁₆ "	12	✓	✓
PL019	19 ¹⁵ / ₁₆ "	14	✓	✓
PL019	19 ¹⁵ / ₁₆ "	12	✓	✓
PL020	20 ¹⁵ / ₁₆ "	14	✓	✓
PL020	20 ¹⁵ / ₁₆ "	12	✓	✓


Price your own custom structural shapes:

1. Select the strip width of material to be used
2. Prices in chart below are for 100 Linear Feet
Multiply the length of the part times the price per Linear Feet and divide by 100
This will provide the material price for the part length
3. Add \$2.10 for each break
4. Pricing includes banding material for shipment

Note:

1. Maximum closed angle is 45 degrees
2. Hems cannot be fabricated
3. Slight metal fracturing may occur at bend lines
4. Minimum break dimension is 1¹/₈"
5. All shapes are subject to tolerances published by MBMA

Hat Section (HS-1)




Note:

* Random colors are subject to availability


DESCRIPTION					PRICED PER EACH
SIZE	GAUGE	FINISH	WEIGHT EACH	LENGTH	PRICE
HW-3100	22	Galvanized	14.00#	20'-0"	✓
HW-3105	16	Red Oxide	25.20#	20'-0"	✓
HW-3105	16	Galvanized	25.80#	20'-0"	✓

Channel Section (CS-1)




DESCRIPTION					PRICED PER EACH
SIZE	GAUGE	FINISH	WEIGHT EACH	LENGTH	PRICE
HW-3110	18	Galvanized	15.70#	20'-0"	✓

1" Sub Girt (SG-1)




DESCRIPTION					PRICED PER EACH
SIZE	GAUGE	FINISH	WEIGHT EACH	LENGTH	PRICE
HW-3120	18	Galvanized	22.00#	20'-0"	✓
HW-3121	16	Red Oxide	27.40#	20'-0"	✓

1/2" Sub Girt (SG-2)




DESCRIPTION					PRICED PER EACH
SIZE	GAUGE	FINISH	WEIGHT EACH	LENGTH	PRICE
HW-3130	18	Galvanized	13.60#	20'-0"	✓
HW-3131	16	Red Oxide	16.40#	20'-0"	✓

Furring Zee



DESCRIPTION						PRICED PER EACH
PART #	DIM "A"	GAUGE	FINISH	COIL WEIGHT	LENGTH	PRICE
HW-3020	1 1/8"	22	Galvanized	3.33#	10'-0"	✓
HW-3021	2 1/8"	22	Galvanized	4.39#	10'-0"	✓
HW-3022	3 1/8"	18	Galvanized	8.66#	10'-0"	✓
HW-3023	4 1/8"	18	Galvanized	10.35#	10'-0"	✓
HW-3024	3 1/8"	16	Red Oxide	10.54#	10'-0"	✓
HW-3025	4 1/8"	16	Red Oxide	12.60#	10'-0"	✓

Strapping




Note:

• *Galvalume Plus® may require extended lead time. Please Inquire.


DESCRIPTION						PRICED PER COIL
PART #	DIM "A"	GAUGE	FINISH	COIL WEIGHT	LENGTH	PRICE
FL-470	2"	24	Galvalume Plus®	4.20#	25'-0"	✓
FL-471	2"	24	Galvalume Plus®	16.78#	100'-0"	✓
FL-569	2"	24	White Wash Coat	83.91#	500'-0"	✓
FL-569	2"	24	Galvalume Plus® *	84.02#	500'-0"	✓

Retrofit Bracing Angle



DESCRIPTION					PRICED PER EACH
SIZE	GAUGE	FINISH	WEIGHT EACH	LENGTH	PRICE
HW-4659	22	Random Colors	8.69#	21'-0"	✓

Roof Hugger - Model C




- **Prices are non-discountable**
- Add \$275 crate/packaging fee for orders under 1,500 LF
- Weight per 10'-0" piece - 10.60#

Note:

1. Prices below exclude tax, freight, engineering fees and crating fee.
2. **This part fits most, but not all, R profiles. Customer should confirm fit.**
3. Fasteners are ordered separately. ¼"-14 Tek 3 is typical.
4. If customer requires engineering, call with project specifics to obtain engineering fee.
5. will assume no responsibility for code compliance unless engineering is included in project proposal.
6. Delivery - approximately 5 working days.

DESCRIPTION	PRICED PER EACH											
PART #	1 - 249	250 - 499	500 - 749	750 - 999	1,000 - 1,499	1,500 - 1,999	2,000 - 2,999	3,000 - 3,999	4,000 - 4,4999	5,000 - 7,499	7,500 - 9,999	OVER 10,000
HW-1240C	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

R Panel Light Transmitting Panel



Note:

- HW-1432, HW-1434, HW-1436 are State of Florida Approved

Note: It is the users responsibility to ensure that the installation and use of all light transmitting panels comply with State, Federal and OSHA regulations and laws, including, but not limited to, guarding all light transmitting panels with screens, fixed standard railings, or other acceptable safety controls that prevent fall-through.


DESCRIPTION							PRICED PER EACH	
PART #	DESCRIPTION	LENGTH	COLOR	TYPE	WEIGHT / SQ FT	WEIGHT EACH	PRICE	
HW-1509	High Strength Fiberglass	10'-8"	White	1	8 ounce	16.89#	✓	
HW-1490	Insulated High Strength Fiberglass	11'-0"	White	1	8 ounce	17.39#	✓	
HW-1432	High Strength Fiberglass - U.V. Resistant	10'-8"	White	1	8 ounce	16.89#	✓	
HW-1434	High Strength Fiberglass - U.V. Resistant	11'-0"	White	1	8 ounce	17.42#	✓	
HW-1436	High Strength Fiberglass - U.V. Resistant	12'-0"	White	1	8 ounce	19.00#	✓	
HW-1520	Polycarbonate	10'-6"	Clear	1	5 ounce	7.88#	✓	

Note:

1. Green light transmitting panels are available on special request.
2. Type 2 (fire rated) light transmitting panels are available, please inquire.

Consult the COMMERCIAL/INDUSTRIAL OR "PBR" and "PBU" TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.

U Panel Light Transmitting Panel



Note: It is the users responsibility to ensure that the installation and use of all light transmitting panels comply with State, Federal and OSHA regulations and laws, including, but not limited to, guarding all light transmitting panels with screens, fixed standard railings, or other acceptable safety controls that prevent fall-through.


DESCRIPTION							PRICED PER EACH
PART #	DESCRIPTION	LENGTH	COLOR	TYPE	WEIGHT / SQ FT	WEIGHT EACH	PRICE
HW-1542	High Strength Fiberglass	10'-8"	White	1	8 ounce	16.89#	✓
HW-1438	High Strength Fiberglass - U.V. Resistant	10'-8"	White	1	8 ounce	16.89#	✓
HW-1440	High Strength Fiberglass - U.V. Resistant	12'-0"	White	1	8 ounce	19.00#	✓

Note:

1. Green light transmitting panels are available on special request.
2. Type 2 (fire rated) light transmitting panels are available, please inquire.

Consult the COMMERCIAL/INDUSTRIAL OR "PBR" and "PBU" TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.

7.2 Panel Light Transmitting Panel




Note: It is the users responsibility to ensure that the installation and use of all light transmitting panels comply with State, Federal and OSHA regulations and laws, including, but not limited to, guarding all light transmitting panels with screens, fixed standard railings, or other acceptable safety controls that prevent fall-through.

DESCRIPTION							PRICED PER EACH
PART #	DESCRIPTION	LENGTH	COLOR	TYPE	WEIGHT / SQ FT	WEIGHT EACH	PRICE
HW-1528	High Strength Fiberglass	12'-0"	White	1	8 ounce	19.00#	✓

Note:

1. Green light transmitting panels are available on special request.
2. Type 2 (fire rated) light transmitting panels are available, please inquire.

C Panel Light Transmitting Panel



High Strength Fiberglass

Note:


It is the users responsibility to ensure that the installation and use of all light transmitting panels comply with State, Federal and OSHA regulations and laws, including, but not limited to, guarding all light transmitting panels with screens, fixed standard railings, or other acceptable safety controls that prevent fall-through.

DESCRIPTION							PRICED PER EACH
PART #	DESCRIPTION	LENGTH	COLOR	TYPE	WEIGHT / SQ FT	WEIGHT EACH	PRICE
HW-1645	High Strength Fiberglass	12'-0"	White	1	8 ounce	19.00#	✓

Note:

1. Green light transmitting panels are available on special request.
2. Type 2 (fire rated) light transmitting panels are available, please inquire.

AVP Panel Light Transmitting Panel



Low Modulus - Non Reinforced

Note:


It is the users responsibility to ensure that the installation and use of all light transmitting panels comply with State, Federal and OSHA regulations and laws, including, but not limited to, guarding all light transmitting panels with screens, fixed standard railings, or other acceptable safety controls that prevent fall-through.

DESCRIPTION							PRICED PER EACH
PART #	DESCRIPTION	LENGTH	COLOR	TYPE	WEIGHT / SQ FT	WEIGHT EACH	PRICE
HW-1430	Low Modulus - Non Reinforced	11'-0"	White	1	8 ounce	17.30#	✓

Note:

1. Green light transmitting panels are available on special request.
2. Type 2 (fire rated) light transmitting panels are available, please inquire.

Retro-R® Panel Light Transmitting Panel



High Strength Fiberglass

Note:

It is the users responsibility to ensure that the installation and use of all light transmitting panels comply with State, Federal and OSHA regulations and laws, including, but not limited to, guarding all light transmitting panels with screens, fixed standard railings, or other acceptable safety controls that prevent fall-through.

DESCRIPTION							PRICED PER EACH
PART #	DESCRIPTION	LENGTH	COLOR	TYPE	WEIGHT / SQ FT	WEIGHT EACH	PRICE
HW-1558	High Strength Fiberglass	10'-8"	White	1	8 ounce	16.89#	✓

1/4" Rubber Grommet




Note:


- Use to connect LTP Sidelaps in wall applications
- Fasteners sold in quantities of 250 only
- Fastener not available painted

DESCRIPTION					PRICED PER 1000
PART #	HEAD SIZE	TYPE	COLOR	WEIGHT PER 1000	PRICE
HW-399	1/4"	Aluminum	Polar White	.01#	✓

Continuous Vent



Flat Skirt




Die-Formed Skirt

Note:

- Includes flat base, two end skirts and single vent operator.
- Vent will accommodate up to 6:12 slope.


DESCRIPTION					PRICED PER EACH	
PART #	SIZE	TYPE	GAUGE	WEIGHT EACH	GALVALUME PLUS®	WHITE
HW-702	9" x 10'-0"	Flat Base	26	115.00#	✓	✓
HW-704	12" x 10'-0"	Flat Base	26	150.00#	✓	✓
HW-702R	9" x 10'-0"	PBR Base	26	115.00#	✓	✓
HW-702U	9" x 10'-0"	PBU Base	26	115.00#	✓	✓
HW-704R	12" x 10'-0"	PBR Base	26	150.00#	✓	✓
HW-704U	12" x 10'-0"	PBU Base	26	150.00#	✓	✓

Vent Damper Operator Parts



DESCRIPTION				PRICED PER EACH
PART #	DESCRIPTION	PRICED PER	WEIGHT EACH	PRICE
HW-705	Vent Cable (3/16")	Foot	.10#	✓
HW-706	Vent Pulley	Each	.25#	✓
HW-708	Vent Cable Clamp	Each	.10#	✓
HW-710	Vent Eye Bolt (1/4" x 2")	Each	.10#	✓
HW-712	Vent Pull Chain with Handle	3'-0" Section	1.00#	✓
HW-714	Vent "S" Hook (1 1/2")	Each	.01#	✓

Die-Formed Ridge Cap




Note:

- * "PBR" and "PBU" Maximum roof slope is 5:12
- ** 7.2 Maximum roof slope is 3:12
- Specify roof slope

DESCRIPTION					PRICED PER EACH		
PART #	PROFILE	LENGTH	GAUGE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-49	PBR *	2'-6"	26	7.13#	✓	✓	✓
FL-51	PBR *	3'-0"	26	8.55#	✓	✓	✓
FL-50	PBU *	2'-6"	26	7.13#	✓	✓	✓
FL-52	PBU *	3'-0"	26	8.55#	✓	✓	✓
FL-68	7.2 Panel **	3'-0"	26	9.39#	✓	✓	N/A

Die-Formed Ridge Cap - Retro-R®




Note:

- Price includes closed cell foam backer
- Maximum roof slope is 4:12
- Specify roof slope


DESCRIPTION					PRICED PER EACH		
PART #	PROFILE	LENGTH	GAUGE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-53B	Retro-R®	3'-0"	29	6.75#	✓	✓	N/A

Rubber Roof Jack




DESCRIPTION					PRICED PER EACH
PART #	TEMPERATURE RANGE	PIPE SIZE	BASE DIM.	WEIGHT EACH	PRICE
HW-1000	-65°F to +212°F	¼" - 1½"	4½"	.17#	✓
HW-1001	-65°F to +212°F	1½" - 4"	8"	.50#	✓
HW-1002	-65°F to +212°F	4¼" - 6"	11"	.95#	✓
HW-1003	-65°F to +212°F	6" - 11"	14"	1.55#	✓
HW-1004	-65°F to +212°F	7" - 13"	17"	2.56#	✓
HIGH TEMPERATURE					
HW-1046	-100°F to +437°F	¼" - 4"	8"	.50#	✓
HW-1047	-100°F to +437°F	4 ¼" - 7"	11"	.95#	✓
HW-1048	-100°F to +437°F	7" - 13"	17"	2.56#	✓
HW-1049	-100°F to +437°F	10" - 18"	25"	3.86#	✓

Retrofit Rubber Roof Jack



DESCRIPTION					PRICED PER EACH
PART #	TEMPERATURE RANGE	PIPE SIZE	BASE DIM.	WEIGHT EACH	PRICE
HW-1005	-65°F to +212°F	¼" - 4"	8⅜"	.74#	✓
HW-1006	-65°F to +212°F	4" - 9¼"	14¼"	2.20#	✓
HW-1007	-65°F to +212°F	9¼" - 16¼"	21½"	3.78#	✓
HIGH TEMPERATURE					
HW-1060	-100°F to +437°F	½" - 4"	8⅜"	.74#	✓
HW-1061	-100°F to +437°F	4" - 9¼"	14¼"	2.20#	✓
HW-1062	-100°F to +437°F	9¼" - 16¼"	21½"	3.78#	✓


PBR Panel Closure Strip



Note:
• One per panel required

DESCRIPTION					PRICED PER EACH
PART #	TYPE	ADHESIVE?	SIZE	WEIGHT EACH	PRICE
HW-455	Inside	No	1" x 36"	.04#	✓
HW-456	Outside	Yes	1" x 36"	.08#	✓


PBU Panel Closure Strip



Note:
• One per panel required

DESCRIPTION					PRICED PER EACH
PART #	TYPE	ADHESIVE?	SIZE	WEIGHT EACH	PRICE
HW-459	Inside	No	1" x 36"	.04#	✓
HW-460	Outside	Yes	1" x 36"	.06#	✓

AVP Panel Closure Strip



Note:
• One per panel required

DESCRIPTION					PRICED PER EACH
PART #	TYPE	ADHESIVE?	SIZE	WEIGHT EACH	PRICE
HW-464	Inside	No	1" x 36"	.07#	✓
HW-465	Outside	Yes	1" x 36"	.07#	✓

PBC Panel Closure Strip



Inside or Outside

Note:
• One per panel required

DESCRIPTION					PRICED PER EACH
PART #	TYPE	ADHESIVE?	SIZE	WEIGHT EACH	PRICE
HW-462	Inside or Outside	Yes	1" x 32"	.05#	✓

PBD Panel Closure Strip



Inside or Outside

Note:
• One per panel required

DESCRIPTION					PRICED PER EACH
PART #	TYPE	ADHESIVE?	SIZE	WEIGHT EACH	PRICE
HW-463	Inside or Outside	Yes	1" x 32"	.04#	✓


7.2 Panel Closure Strip



Note:
• One per panel required

DESCRIPTION					PRICED PER EACH
PART #	TYPE	ADHESIVE?	SIZE	WEIGHT EACH	PRICE
HW-461	Inside or Outside	No	1" x 36"	.07#	✓

Retro-R® Panel Closure Strip




Inside

Outside

Note:
• One per panel required

DESCRIPTION					PRICED PER EACH
PART #	TYPE	ADHESIVE?	SIZE	WEIGHT EACH	PRICE
HW-468	Inside	No	1" x 36"	.21#	✓
HW-469	Outside	Yes	1" x 36"	.15#	✓


PBR Panel Metal Closure



Note:
• 26 gauge material
• Use with PBR Panel - 3 per panel required

DESCRIPTION				PRICED PER EACH
SIZE	TYPE	FINISH	WEIGHT EACH	PRICE
HW-4041	Outside	Galvalume	.16#	✓

Horizontal Slide Window - Non Insulated




Note:

- Specify wall pane profile
- All Windows will be supplied with "PBR" fins - Additional fins will be supplied when "PBU" (U) windows are ordered - All fins are to be installed
- No flashing required

DESCRIPTION					PRICED PER EACH
PART #	SIZE	TYPE	COLOR	WEIGHT EACH	PRICE
HW-802R	3030	Horiz. Slide w/Half Screen	Aluminum	27.00#	✓
HW-802U	3030	Horiz. Slide w/Half Screen	Aluminum	27.00#	✓
HW-804R	4030	Horiz. Slide w/Half Screen	Aluminum	28.00#	✓
HW-808R	6030	Horiz. Slide w/Half Screen	Aluminum	50.00#	✓
HW-810R	6040	Horiz. Slide w/Half Screen	Aluminum	58.00#	✓

Single Hung Window - Non Insulated




Note:

- PBR profile only
- All Windows will be supplied with "PBR" fins.

DESCRIPTION					PRICED PER EACH
PART #	SIZE	TYPE	COLOR	WEIGHT EACH	PRICE
HW-820R	3030	Single Hung w/Half Screen	Aluminum	27.00#	✓
HW-822R	3040	Single Hung w/Half Screen	Aluminum	30.00#	✓
HW-824R	3050	Single Hung w/Half Screen	Aluminum	45.00#	✓

Walk Doors



DESCRIPTION					PRICED PER EACH
PART #	SIZE	TYPE	COLOR	WEIGHT EACH	PRICE
HW-9200	3070	M	White	162.00#	✓
HW-9201	3070	NL	White	162.00#	✓
HW-9202	3070	M (Insulated)	White	162.00#	✓
HW-9203	3070	G (No Glass)	White	162.00#	✓
HW-9204	4070	M	White	218#	✓
HW-9205	4070	NL	White	218#	✓
HW-9206	6070	M	White	280#	✓
HW-9207	6070	NL	White	280#	✓


Note:

- All walk doors are sold as knocked-down kits
- 3070 and 4070 kit prices include leaf, frame with integral weather stripping, hinges and threshold.
- 6070 kit price includes leaf, frame with integral weather stripping, hinges, astragal, cover plate for inactive leaf, head bolt, foot bolt and universal threshold.
- Kits do not include glass or locksets.
- Door leaf hinge and lockset mortises are universally cut to accommodate any handing option.
- ADA regulations require lever handle locksets for public access buildings.
- When installing lever handle locksets, two 5/16" diameter holes must be field drilled.

Walk Door Accessories

DESCRIPTION					PRICED PER EACH
PART #	DESCRIPTION	COLOR	WEIGHT EACH	PRICE	
HW-950	1/2" X 2 3/4 Long Wedge Anchor	Bronze	0.50#	✓	
HW-954	6070 Removable Mullion		25.00#	✓	
HW-955	Standard Duty Knob Lock		2.00#	✓	
HW-9558	Standard Duty Knob Lock - Keyed Alike		2.00#	✓	
HW-9558	Heavy Duty Knob Lock		3.00#	✓	
NOTE: • Does not meet ADA requirements.					
HW-964	Standard Duty Lever Handle Lock	Aluminum	3.00#	✓	
HW-9653	Standard Duty Lever Handle Lock - Keyed Alike		3.00#	✓	
HW-957	3070 Universal Threshold		2.00#	✓	
HW-958	4070 Universal Threshold		2.50#	✓	
HW-960	6070 Top and Bottom Bolts		2.00#	✓	
HW-961	Door Closer		2.00#	✓	
HW-962	4 1/2" x 4 1/2" Hinges (Box of 3)		5.00#	✓	
HW-963	Anti-Panic Hardware - Surface Mount w/Knob Lockset		9.67#	✓	
NOTE: • Does not meet ADA requirements. • Two week lead time required.					
HW-963	Anti-Panic Hardware - Surface Mount w/Handle Lockset		9.95#	✓	
NOTE: • When installing lever handle locksets (HW-964 or HW-9653), two 5/16" diameter holes must be field drilled.					

Tape Sealer



DESCRIPTION							PRICED PER ROLL
PART #	TYPE	WIDTH	THICKNESS	LENGTH	ROLL WEIGHT	PRICE	
HW-505	Butyl	3/8"	3/32"	45'-0"	1.20#	✓	
HW-506	Butyl	1"	3/32"	45'-0"	2.85#	✓	
HW-507	Butyl	1/2"	3/32"	50'-0"	1.60#	✓	

Tape Sealer - Triple Bead



Use:
Endlap tape is used to provide a seal where two rows of roof panels overlap each other on both CFR panels.


DESCRIPTION							PRICED PER CARTON
PART #	TYPE	WIDTH	THICKNESS	LENGTH	CARTON QTY	CARTON WEIGHT	PRICE
HW-502	Butyl	2 1/2"	3/16"	20'-0"	6	23.00#	✓

Tape Sealer - Tri-Bead



DESCRIPTION							PRICED PER CARTON
PART #	TYPE	WIDTH	THICKNESS	LENGTH	CARTON QTY	CARTON WEIGHT	PRICE
HW-504	Butyl	7/8"	3/16"	25'-0"	8	20.00#	✓

Tube Sealant



Note:

- 25' per tube at ¼" bead.

DESCRIPTION					PRICED PER TUBE
PART #	TYPE	COLOR	TUBE SIZE	TUBE WEIGHT	PRICE
HW-548	Acrylic	White	11 ounce	.75#	✓
HW-550	Acrylic	Gray	11 ounce	.75#	✓
HW-540	Urethane	White	11 ounce	.85#	✓
HW-541	Urethane	Gray	11 ounce	.85#	✓
HW-542	Urethane	Bronze	11 ounce	.85#	✓
HW-544	Urethane	Almond	11 ounce	.85#	✓
HW-549	Non-Skinning Butyl	White	10 ounce	1.00#	✓

Touch Up Paint




Note:

- Primer available in spray or brush-on mixture - Please specify
- Touch-up paint available in brush-only

DESCRIPTION					PRICED PER EACH
PART #	FINISH	SIZE	COLOR	WEIGHT EACH	PRICE
HW-304	Signature® 200	2 ounce	See Color Chart	.50#	✓
HW-305	Signature® 300	2 ounce	See Color Chart	.50#	✓
HW-310S	Spray Primer	1 gallon	Red Oxide	10.00#	✓
HW-310B	Brush Primer	1 gallon	Red Oxide	11.00#	✓
HW-320S	Spray Primer	5 gallon	Red Oxide	50.00#	✓
HW-320B	Brush Primer	5 gallon	Red Oxide	50.00#	✓

Blanket Insulation




Note:

- Fiberglass Blanket Insulation - 3" thick - 0.60 pounds per cubic foot density.
- Faced one side with nominal 4 mil. white vinyl with two 2" tabs.

DESCRIPTION				PRICED PER ROLL
PART #	WIDTH	LENGTH	ROLL WEIGHT	PRICE
HW-370	4'-0"	104'-0"	90.68#	✓
HW-372	4'-0"	124'-0"	108.00#	✓

Vinyl Patch Tape




DESCRIPTION				PRICED PER ROLL
PART #	WIDTH	LENGTH	ROLL WEIGHT	PRICE
HW-5211	3"	150'-0"	1.98#	✓

Double Faced Tape



DESCRIPTION				PRICED PER ROLL
PART #	WIDTH	LENGTH	ROLL WEIGHT	PRICE
HW-522	1½"	180'-0"	1.00#	✓

Reflective Insulation




Note:

- PSR-VR with VersiTab is ¼" fiberglass with a white polypropylene scrim reinforced vapor retarder on one side and a foil film on the other side.
- RFSK with VersiTab ¼" fiberglass with a silver (aluminum) scrim reinforced vapor retarder on one side and a foil film on the other side.
- VersiTab has a 2" tab on one side and a 4" tab on the other side of the roll to allow the insulation side laps to be folded and stapled or overlapped and taped.

DESCRIPTION					PRICED PER ROLL	
PART #	TYPE	WIDTH	LENGTH	WEIGHT PER ROLL	PRICE	
HW-3744	PSK-VR w/VersiTab	4'-0"	125'-0"	31.00#	✓	
HW-3745	RFSK w/VersiTab	4'-0"	125'-0"	31.00#	✓	
HW-3748	PSK-VR w/VersiTab	6'-0"	125'-0"	46.00#	✓	
HW-3749	RFSK w/VersiTab	6'-0"	125'-0"	46.00#	✓	

Scrimless Aluminum Tape



DESCRIPTION				PRICED PER ROLL	
PART #	WIDTH	LENGTH	WEIGHT PER ROLL	PRICE	
HW-514	3"	150'-0"	1.50#	✓	

Strand



Note:

- Extra High Strength

DESCRIPTION						PRICED PER BELOW
PART #	SIZE	MINIMUM BREAKING STRENGTH	LENGTH	PRICED BY	WEIGHT	PRICE
HW-373	¼"	6,650 lbs.	Specify	100 LF	.12# per LF	✓
HW-374	⅝"	11,200 lbs.	Specify	100 LF	.21# per LF	✓
HW-375	⅜"	15,400 lbs.	Specify	100 LF	.27# per LF	✓
HW-3739	½"	26,900 lbs	250'-0"	ROLL	106.00# per ROLL	✓

Flo-Loc Grip



Note:
• Extra High Strength

DESCRIPTION					PRICED PER EACH
PART #	SIZE	MINIMUM BREAKING STRENGTH	LENGTH	WEIGHT EACH	PRICE
HW-376	¼"	6,650 lbs.	19"	.34#	✓
HW-377	⅜"	11,200 lbs.	21"	.70#	✓
HW-378	⅝"	15,400 lbs.	26"	1.04#	✓
HW-383	½"	26,900 lbs.	34"	2.56#	✓


Eye Bolt with Flat Washer and Nut



Note:
• Each Eyebolt is supplied with one Flat Washer and one Nut


DESCRIPTION							PRICED PER EACH
PART #	SIZE	EYE DIAMETER	SHANK LENGTH	THREAD LENGTH	YIELD STRENGTH	WEIGHT EACH	PRICE
HW-352	½"	1"	8"	6"	36,000 lbs.	.60#	✓
HW-353	⅝"	1 ¼"	8"	6"	55,000 lbs.	1.15#	✓
HW-354	¾"	1 ½"	8"	6"	55,000 lbs.	1.83#	✓
HW-381	7/8"	1 ½"	8"	6"	60,000 lbs.	2.64#	✓

Hillside and Flat Washers




DESCRIPTION					PRICED PER 100 PIECES
PART #	TYPE	SIZE	FINISH	WEIGHT EACH	PRICE
HW-390	Flat	½"	Plated	.04#	✓
HW-391	Flat	⅝"	Plated	.08#	✓
HW-392	Flat	¾"	Plated	.11#	✓
HW-382	Flat	7/8"	Plated	.15#	✓
HW-393	Flat	1"	Plated	.19#	✓
HW-394	Hillside	½"	Black	.34#	✓
HW-395	Hillside	⅝"	Black	.50#	✓
HW-396	Hillside	¾"	Black	.61#	✓
HW-397	Hillside	7/8"	Black	.89#	✓
HW-398	Hillside	1"	Black	1.28#	✓

Bolts with Nuts




DESCRIPTION						PRICED PER 100 PIECES
PART #	SIZE	BOLT GRADE	NUT GRADE	FINISH	WEIGHT EACH	PRICE
HW-355	1/2" x 1"	A307	A307	Plated	.13#	✓
HW-356	1/2" x 1 1/4"	A307	A307	Plated	.14#	✓
HW-363	1/2" x 1 1/4"	A325	A563	Plated	.18#	✓
HW-3544	5/8" x 1 1/4"	A325	A563	Plated	.31#	✓
HW-357	5/8" x 1 1/4"	A325	A563	Plated	.33#	✓
HW-3545	5/8" x 1 3/4"	A325	A563	Plated	.35#	✓
HW-358	5/8" x 2"	A325	A563	Plated	.37#	✓
HW-359	3/4" x 1 3/4"	A325	A563	Plated	.55#	✓
HW-3536	3/4" x 2"	A325	A563	Plated	.58#	✓
HW-360	3/4" x 2 1/4"	A325	A563	Plated	.62#	✓
HW-3537	3/4" x 2 1/2"	A325	A563	Plated	.65#	✓
HW-361	3/4" x 2 3/4"	A325	A563	Plated	.68#	✓

Fin Head with Nut



DESCRIPTION						PRICED PER 100 PIECES
PART #	SIZE	BOLT GRADE	NUT GRADE	FINISH	WEIGHT EACH	PRICE
HW-362	1/2" x 1"	A307	A307	Plated	.10#	✓

Purlin Clip - 6" x 7"



DESCRIPTION				PRICED PER EACH
PART #	SIZE	FINISH	WEIGHT EACH	PRICE
HW-6900	6" x 7" x 3/16"	Black	2.25#	✓

Sliding Door - Track



DESCRIPTION					PRICED PER EACH
PART #	LENGTH	GAUGE	FINISH	WEIGHT EACH	PRICE
HW-966	12'-0"	16	Galvanized	21.00#	✓
HW-968	20'-0"	16	Galvanized	35.00#	✓

Sliding Door - Rail Hanger and Bracket



DESCRIPTION			PRICED PER EACH
PART #	FINISH	WEIGHT EACH	PRICE
HW-971	Galvanized	3.00#	✓

Sliding Door - Hanger Angle



DESCRIPTION			PRICED PER EACH
PART #	FINISH	WEIGHT EACH	PRICE
HW-975	Galvanized	1.00#	✓

Sliding Door - Steel Door Pull




DESCRIPTION			PRICED PER EACH
PART #	FINISH	WEIGHT EACH	PRICE
HW-973	Galvanized	.90#	✓

Sliding Door - Trolley



DESCRIPTION				PRICED PER EACH
PART #	WHEEL DIAMETER	FINISH	WEIGHT EACH	PRICE
HW-969	2"	Galvanized	1.00#	✓

Sliding Door - Cam Lock Jamb Latch



DESCRIPTION			PRICED PER EACH
PART #	FINISH	WEIGHT EACH	PRICE
HW-972	Galvanized	2.00#	✓

Sliding Door - Hasp and Staple



DESCRIPTION			PRICED PER EACH
PART #	FINISH	WEIGHT EACH	PRICE
HW-974	Galvanized	1.50#	✓

Sliding Door - Splice Bracket



DESCRIPTION			PRICED PER EACH
PART #	FINISH	WEIGHT EACH	PRICE
HW-970	Galvanized	1.00#	✓


Flat Sheet and Coil Selection Chart

	26 GAUGE		24 GAUGE		22 GAUGE	
	42¾"	48¾"	42¾"	48¾"	42¾"	48¾"
SIGNATURE® 200						
Hawaiian Blue	●			●		
Crimson Red *	●			●		
Fern Green	●			●		
Burnished Slate	●	●		●		
Koko Brown	●			●		
Charcoal Gray	●			●		
Ash Gray	●			●		
Saddle Tan	●			●		
Desert Sand	●					
Polar White *	●	●		●	●	●
Rustic Red	●			●		
Light Stone	●	●		●		
Solar White	●	●		●		
Cobalt Blue	●					
SIGNATURE® 300						
Medium Bronze	●			●		
Snow White	●			●		
Slate Gray	●			●		
Almond	●			●		
Classic Green	●			●		
Brownstone				●		
Brite Red †				●		
Harbor Blue				●		
Bone White				●		
OTHER						
Galvalume Plus®	●	●		●	●	●
Galvanized	●					

*Limited Warranty Coverage terms vary; check the published MBCI Signature 200 Panel Limited Warranty Coverage document for details.

†Limited Warranty Coverage terms vary; check the published MBCI Signature 300 Panel Limited Warranty Coverage document for details.

Flat Sheets



Note:


1. Add \$42.00 for flat sheet wood skid/Maximum 100 flat sheets or 3000# per skid. Maximum 14'-0" length.
2. Add \$60.00 for LTL crating/Maximum 100 flat sheets or 3000# per skid. Maximum 14'-0" length.
3. Strippable film available for flat sheets upon request. Add \$0.10 per square foot.
4. Minimum length 5'-0", maximum length 14'-0". Flat sheet lengths over 14'-0" require special skid. Please inquire.
5. All material is Grade D.

See Flat Sheet and Coil Selection Chart on page 43 for color availability

DESCRIPTION				PRICED PER LINEAR FOOT
GAUGE	WIDTH	FINISH	WEIGHT PER LF	PRICE
26	42¾"	Signature® 300	2.64#	✓
26	42¾"	Signature® 200	2.64#	✓
26	42¾"	Galvalume Plus® ⌘	2.64#	✓
26	42¾"	Galvanized	2.77#	✓
26	48¾"	Signature® 200	2.99#	✓
26	48¾"	Galvalume Plus® ⌘	2.99#	✓
24	42¾"	Signature® 200	3.32#	✓
24	42¾"	Galvalume Plus® ⌘	3.32#	✓
24	48¾"	Signature® 300	3.94#	✓
24	48¾"	Signature® 200	3.75#	✓
24	48¾"	Galvalume Plus® ⌘	3.75#	✓
22	42¾"	Signature® 200	4.22#	✓
22	42¾"	Galvalume Plus® ⌘	4.22#	✓
22	48¾"	Signature® 200	4.77#	✓
22	48¾"	Galvalume Plus® ⌘	4.77#	✓

⌘ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

Coils



Note:

1. Add \$108.00 SET-UP CHARGE FOR COIL. (Minimum 300 L.F.)
2. Add \$42.00 per coil for wood skid.
3. All coils are subject to ±15% of quantity ordered.
4. The camber tolerance for coils is one inch in any 20 feet.
5. Slitting available upon request - \$0.10per LF - \$300.00 minimum charge.
6. All material is Grade D or E.


See Flat Sheet and Coil Selection Chart on page 43 for color availability

DESCRIPTION				PRICED PER CLF COIL
GAUGE	WIDTH	FINISH	WEIGHT PER LF	PRICE
26	42 3/4"	Signature® 300	2.64#	✓
26	42 3/4"	Signature® 200	2.64#	✓
26	42 3/4"	Galvalume Plus® ✕	2.64#	✓
26	42 3/4"	Galvanized	2.77#	✓
26	48 3/8"	Signature® 200	2.99#	✓
26	48 3/8"	Galvalume Plus® ✕	2.99#	✓
24	42 3/4"	Signature® 200	3.32#	✓
24	42 3/4"	Galvalume Plus® ✕	3.32#	✓
24	48 3/8"	Signature® 200	3.75#	✓
24	48 3/8"	Galvalume Plus® ✕	3.75#	✓
22	42 3/4"	Signature® 200	4.22#	✓
22	42 3/4"	Galvalume Plus® ✕	4.22#	✓
22	48 3/8"	Signature® 200	4.77#	✓
22	48 3/8"	Galvalume Plus® ✕	4.77#	✓

✕ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.




Outside Corner Trim - PBR / PBA Panels




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-830	10'-2"	12 5/8"	8.32#	✓	✓	✓
FL-831	12'-0"	12 5/8"	9.83#	✓	✓	✓
FL-832	14'-0"	12 5/8"	11.46#	✓	✓	✓
FL-833	16'-0"	12 5/8"	13.10#	✓	✓	✓
FL-834	18'-0"	12 5/8"	14.74#	✓	✓	✓
FL-835	20'-2"	12 5/8"	16.51#	✓	✓	✓

Outside Corner Trim - PBU Panel




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-840	10'-2"	11 3/8"	7.50#	✓	✓	✓
FL-841	12'-0"	11 3/8"	8.85#	✓	✓	✓
FL-842	14'-0"	11 3/8"	10.33#	✓	✓	✓
FL-843	16'-0"	11 3/8"	11.80#	✓	✓	✓
FL-844	18'-0"	11 3/8"	13.28#	✓	✓	✓
FL-845	20'-2"	11 3/8"	14.88#	✓	✓	✓

Outside Corner Trim - Retro-R Panel®




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-876	10'-2"	17 3/4"	11.70#	✓	✓	✓
FL-877	20'-2"	17 3/4"	23.22#	✓	✓	✓

Outside Corner Trim - 7.2 Panel




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-500	10'-2"	14 1/4"	9.40#	✓	✓	✓
FL-500A	12'-0"	14 1/4"	11.09#	✓	✓	✓
FL-500B	14'-0"	14 1/4"	12.94#	✓	✓	✓

Inside Corner Trim - PBR Panel




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-800	10'-2"	15"	9.89#	✓	✓	✓
FL-801	12'-0"	15"	11.67#	✓	✓	✓
FL-802	14'-0"	15"	13.62#	✓	✓	✓
FL-803	16'-0"	15"	15.57#	✓	✓	✓
FL-804	18'-0"	15"	17.51#	✓	✓	✓
FL-805	20'-2"	15"	19.62#	✓	✓	✓

Inside Corner Trim - PBU Panel




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-810	10'-2"	10 5/8"	7.01#	✓	✓	✓
FL-811	12'-0"	10 5/8"	8.27#	✓	✓	✓
FL-812	14'-0"	10 5/8"	9.65#	✓	✓	✓
FL-813	16'-0"	10 5/8"	11.03#	✓	✓	✓
FL-814	18'-0"	10 5/8"	12.40#	✓	✓	✓
FL-815	20'-2"	10 5/8"	13.90#	✓	✓	✓

Inside Corner Trim - Retro-R Panel®




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-878	10'-2"	15 1/2"	10.22#	✓	✓	✓
FL-879	20'-2"	15 1/2"	20.27#	✓	✓	✓

Inside Corner Trim - 7.2 Panel



DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-520	10'-2"	14 1/2"	9.56#	✓	✓	✓

BT-20 Base Trim




Note:

- 20 gauge material
- Available in Burnished Slate only

DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-73	20'-0"	7 7/8"	22.00#	N/A	✓	N/A

Base Angle Corner




Note:

- Vinyl Material
- Burnished Slate only
- Inquire for lead time

DESCRIPTION		PRICED PER EACH		
PART #	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
HW-1112	.21#	N/A	✓	N/A

Base Trim




Note:

- Use with sheeting notch in concrete

DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-72	10'-2"	6 1/8"	4.04#	✓	✓	✓

Base Trim without Sheeting




Note:

- Use without sheeting notch in concrete

DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-530	10'-2"	6 3/4"	4.45#	✓	✓	✓

PBR Sculptured Eave Gutter




Note:

- Specify roof slope
- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION						PRICED PER EACH		
PART #	DIM "A"	LENGTH	GIRTH	ROOF SLOPE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-18	6½"	10'-2"	23"	½-4:12	15.17#	✓	✓	✓
FL-18B	6½"	20'-2"	23"	½-4:12	35.40#	✓	✓	✓
FL-18H	7"	10'-2"	23½"	4⅛-6:12	17.88#	✓	✓	✓
FL-18J	7"	20'-2"	23½"	4⅛-6:12	35.47#	✓	✓	✓

PBR Sculptured Hang-On Gutter




Note:

- Specify roof slope
- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION						PRICED PER EACH		
PART #	DIM "A"	LENGTH	GIRTH	ROOF SLOPE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-18C	6½"	10'-2"	20¼"	½-4:12	14.50#	✓	✓	✓
FL-18D	6½"	20'-2"	20¼"	½-4:12	29.00#	✓	✓	✓
FL-18F	7"	10'-2"	20¾"	4⅛-6:12	15.41#	✓	✓	✓
FL-18G	7"	20'-2"	20¾"	4⅛-6:12	30.56#	✓	✓	✓

PBU Sculptured Eave Gutter




Note:

- Specify roof slope
- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION						PRICED PER EACH		
PART #	DIM "A"	LENGTH	GIRTH	ROOF SLOPE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-512	7"	10'-2"	23½"	½-4:12	15.49#	✓	✓	✓
FL-512A	7"	20'-2"	23½"	½-4:12	35.40#	✓	✓	✓
FL-512E	7½"	10'-2"	24"	4⅛-6:12	18.26#	✓	✓	✓
FL-512F	7½"	20'-2"	24"	4⅛-6:12	36.23#	✓	✓	✓

PBU Sculptured Hang-On Gutter




Note:

- Specify roof slope
- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION						PRICED PER EACH		
PART #	DIM "A"	LENGTH	GIRTH	ROOF SLOPE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-512B	7"	10'-2"	20 ³ / ₄ "	½-4:12	13.68#	✓	✓	✓
FL-512C	7"	20'-2"	20 ³ / ₄ "	½-4:12	29.50#	✓	✓	✓
FL-512G	7½"	10'-2"	21 ¼"	4½-6:12	15.77#	✓	✓	✓
FL-512H	7½"	20'-2"	21 ¼"	4½-6:12	31.31#	✓	✓	✓

Sculptured Eave Gutter - 7.2 Panel




Note:

- Specify roof slope
- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION						PRICED PER EACH		
PART #	DIM "A"	LENGTH	GIRTH	ROOF SLOPE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-517	6 ¼"	10'-2"	23 ¼"	½-4:12	15.33#	✓	✓	✓
FL-517A	6 ¼"	20'-2"	23 ¼"	½-4:12	30.41#	✓	✓	✓
FL-517E	6 ⅝"	10'-2"	23 ⅝"	4½-6:12	15.58#	✓	✓	✓
FL-517F	6 ⅝"	20'-2"	23 ⅝"	4½-6:12	30.90#	✓	✓	✓

Sculptured Hang-On Gutter - 7.2 Panel




Note:

- Specify roof slope
- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION						PRICED PER EACH		
PART #	DIM "A"	LENGTH	GIRTH	ROOF SLOPE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-517B	6 ¼"	10'-2"	20"	½-4:12	13.19#	✓	✓	✓
FL-517C	6 ¼"	20'-2"	20"	½-4:12	26.16#	✓	✓	✓
FL-517G	6 ⅝"	10'-2"	20 ⅜"	4½-6:12	13.43#	✓	✓	✓
FL-517H	6 ⅝"	20'-2"	20 ⅜"	4½-6:12	26.65#	✓	✓	✓

Gutter Ends




Note:

- Use with all Sculptured Gutters
- End Caps will be made to fit gutter ordered
- Specify left or right
- Specify gutter part number
- Specify roof slope

DESCRIPTION		PRICED PER EACH		
PART #	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-18A	.32#	✓	✓	✓

Box Hang-On Gutter




Note:

- Specify roof slope - Snow Gutter available, please inquire

DESCRIPTION							PRICED PER EACH		
PART #	DIM "A"	DIM "B"	LENGTH	GIRTH	ROOF SLOPE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-74	4½"	4¼"	10'-2"	17"	½-4:12	11.21#	✓	✓	✓
FL-74A	4½"	4¼"	20'-2"	17"	½-4:12	22.23#	✓	✓	✓
FL-74L	4¾"	4¼"	10'-2"	17¼"	4¼-6:12	11.37#	✓	✓	✓
FL-74F	4¾"	4¼"	20'-2"	17¼"	4¼-6:12	22.56#	✓	✓	✓
NOTE: Use with PBU Panel									
FL-74B	4¼"	4½"	10'-2"	17"	½-4:12	11.21#	✓	✓	✓
FL-74C	4¼"	4½"	20'-2"	17"	½-4:12	22.23#	✓	✓	✓
FL-74G	4⅝"	4½"	10'-2"	17⅜"	4¼-6:12	11.46#	✓	✓	✓
FL-74H	4⅝"	4½"	20'-2"	17⅜"	4¼-6:12	22.72#	✓	✓	✓
NOTE: Use with PBR Panel									
FL-74D	4"	4½"	10'-2"	16 ¾"	½-4:12	11.04#	✓	✓	✓
FL-74E	4"	4½"	20'-2"	16 ¾"	½-4:12	21.91#	✓	✓	✓
FL-74J	4¼"	4½"	10'-2"	17"	4¼-6:12	11.21#	✓	✓	✓
FL-74K	4¼"	4½"	20'-2"	17"	4¼-6:12	22.23#	✓	✓	✓
NOTE: Use with 7.2 Panel									

Box Eave Gutter




Note:

• Specify roof slope - Snow Gutter available, please inquire

DESCRIPTION							PRICED PER EACH		
PART #	DIM "A"	DIM "B"	LENGTH	GIRTH	ROOF SLOPE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-14	4 1/2"	4 1/4"	10'-2"	20 1/4"	1/2-4:12	13.35#	✓	✓	✓
FL-14B	4 1/2"	4 1/4"	20'-2"	20 1/4"	1/2-4:12	26.48#	✓	✓	✓
FL-14F	4 3/4"	4 1/4"	10'-2"	20 1/2"	4 1/6-6:12	13.52#	✓	✓	✓
FL-14G	4 3/4"	4 1/4"	20'-2"	20 1/2"	4 1/6-6:12	26.81#	✓	✓	✓
NOTE: Use with PBU Panel									
FL-14C	4 1/4"	4 1/2"	10'-2"	20 1/4"	1/2-4:12	13.35#	✓	✓	✓
FL-14D	4 1/4"	4 1/2"	20'-2"	20 1/4"	1/2-4:12	26.48#	✓	✓	✓
FL-14H	4 5/8"	4 1/2"	10'-2"	20 5/8"	4 1/6-6:12	13.60#	✓	✓	✓
FL-14J	4 5/8"	4 1/2"	20'-2"	20 5/8"	4 1/6-6:12	26.98#	✓	✓	✓
NOTE: Use with PBR Panel									
FL-505	4"	4 1/2"	10'-2"	20"	1/2-4:12	13.19#	✓	✓	✓
FL-505A	4"	4 1/2"	20'-2"	20"	1/2-4:12	26.16#	✓	✓	✓
FL-505C	4 1/4"	4 1/2"	10'-2"	20 1/4"	4 1/6-6:12	13.35#	✓	✓	✓
FL-505D	4 1/4"	4 1/2"	20'-2"	20 1/4"	4 1/6-6:12	26.48#	✓	✓	✓


NOTE: Use with 7.2 Panel

Residential Gutter



DESCRIPTION				PRICED PER EACH		
PART #	GIRTH	GAUGE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-1000	12 9/16"	29	6.41#	✓	✓	N/A
FL-1000	12 9/16"	26	8.28#	✓	✓	✓
FL-1000	12 9/16"	24	10.39#	✓	✓	✓

Gutter Ends




Note:

- Use FL-14A with all Box Gutters
- Use FL-1001 with FL-1000 Residential Gutter
- End Caps will be made to fit gutter ordered
- Specify left or right
- Specify gutter part number
- Specify roof slope


DESCRIPTION			PRICED PER EACH		
PART #	GAUGE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-14A	26	.26#	✓	✓	✓
FL-1001	29	.07#	✓	✓	N/A
FL-1001	26	.09#	✓	✓	✓
FL-1001	24	.12#	✓	✓	✓

Gutter Strap




DESCRIPTION					PRICED PER EACH		
PART #	LENGTH	GIRTH	GAUGE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-893	1'-0"	3"	26	.23#	N/A	✓	N/A
FL-893	1'-0"	3"	24	.23#	✓	✓	✓

PBU Residential Rake




DESCRIPTION						PRICED PER EACH		
PART #	DIM "A"	ROOF SLOPE	GIRTH	GAUGE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-1002	3 3/16"	3-4:12	8 11/16"	29	4.43#	✓	✓	N/A
FL-1002	3 3/16"	3-4:12	8 11/16"	26	5.73#	✓	✓	✓
FL-1003	3 1/16"	5-6:12	8 9/16"	29	4.37#	✓	✓	N/A
FL-1003	3 1/16"	5-6:12	8 9/16"	26	5.65#	✓	✓	✓
FL-1004	2 15/16"	7:12	8 7/16"	29	4.30#	✓	✓	N/A
FL-1004	2 15/16"	7:12	8 7/16"	26	5.56#	✓	✓	✓
FL-1005	2 13/16"	8-9:12	8 5/16"	29	4.24#	✓	✓	N/A
FL-1005	2 13/16"	8-9:12	8 5/16"	26	5.48#	✓	✓	✓
FL-1006	2 11/16"	10:12	8 3/16"	29	4.18#	✓	✓	N/A
FL-1006	2 11/16"	10:12	8 3/16"	26	5.40#	✓	✓	✓

PBR Residential Rake



DESCRIPTION						PRICED PER EACH		
PART #	DIM "A"	ROOF SLOPE	GIRTH	GAUGE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-1010	3 1/16"	3-4:12	10 13/16"	29	5.51#	✓	✓	N/A
FL-1010	3 1/16"	3-4:12	10 13/16"	26	7.13#	✓	✓	✓
FL-1011	3 9/16"	5-6:12	10 11/16"	29	5.45#	✓	✓	N/A
FL-1011	3 9/16"	5-6:12	10 11/16"	26	7.05#	✓	✓	✓
FL-1012	3 7/16"	7:12	10 9/16"	29	5.39#	✓	✓	N/A
FL-1012	3 7/16"	7:12	10 9/16"	26	6.96#	✓	✓	✓
FL-1013	3 5/16"	8-9:12	10 7/16"	29	5.32#	✓	✓	N/A
FL-1013	3 5/16"	8-9:12	10 7/16"	26	6.88#	✓	✓	✓

Sculptured Rake - PBR Panel




Note:

• Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION					PRICED PER EACH		
PART #	DESCRIPTION	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-16	Rake Trim	10'-2"	20 1/4"	14.50#	✓	✓	✓
FL-16D	Rake Trim	20'-2"	20 1/4"	29.00#	✓	✓	✓
FL-16A	Rake Ends	N/A	N/A	.19#	✓	✓	✓
FL-16B	Peak Box	N/A	N/A	2.67#	✓	✓	✓

Sculptured Rake - PBU Panel




Note:

• Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION					PRICED PER EACH		
PART #	DESCRIPTION	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-15	Rake Trim	10'-2"	20¼"	14.50#	✓	✓	✓
FL-15D	Rake Trim	20'-2"	20¼"	29.00#	✓	✓	✓
FL-15A	Rake Ends	N/A	N/A	.19#	✓	✓	✓
FL-15C	Peak Box	N/A	N/A	2.67#	✓	✓	✓

Sculptured Rake - 7.2 Panel




Note:

• Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION					PRICED PER EACH		
PART #	DESCRIPTION	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-510	Rake Trim	10'-2"	20¼"	13.35#	✓	✓	✓
FL-510A	Rake Trim	20'-2"	20¼"	26.48#	✓	✓	✓
FL-510B	Rake Ends	N/A	N/A	.19#	✓	✓	✓
FL-510C	Peak Box	N/A	N/A	2.61#	✓	✓	✓

Box Rake - PBR Panel




Note:

• Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION					PRICED PER EACH		
PART #	DESCRIPTION	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-13	Rake Trim	10'-2"	20¼"	13.35#	✓	✓	✓
FL-13D	Rake Trim	20'-2"	20¼"	26.48#	✓	✓	✓
FL-13A	Rake Ends	N/A	N/A	.13#	✓	✓	✓
FL-13C	Peak Box	N/A	N/A	2.34#	✓	✓	✓

Box Rake - PBU Panel




Note:

- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION					PRICED PER EACH		
PART #	DESCRIPTION	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-12	Rake Trim	10'-2"	20 1/4"	13.25#	✓	✓	✓
FL-12D	Rake Trim	20'-2"	20 1/4"	26.50#	✓	✓	✓
FL-12A	Rake Ends	N/A	N/A	.13#	✓	✓	✓
FL-12C	Peak Box	N/A	N/A	2.34#	✓	✓	✓

Box Rake - 7.2 Panel




Note:

- Add \$7.62 per piece for mitered trim - Specify left or right

DESCRIPTION					PRICED PER EACH		
PART #	DESCRIPTION	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-501	Rake Trim	10'-2"	20"	13.19#	✓	✓	✓
FL-501A	Rake Trim	20'-2"	20"	25.55#	✓	✓	✓
FL-501B	Rake Ends	N/A	N/A	.13#	✓	✓	✓
FL-501D	Peak Box	N/A	N/A	2.34#	✓	✓	✓

Sculptured High Side Eave




Note:

- Specify roof slope
- Add \$7.62 per piece for mitered trim - Specify left or right
- Use with FL-15, FL-16 and FL-510 Sculptured Rake

DESCRIPTION				PRICED PER EACH			
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300	
FL-17	10'-2"	20 3/4"	13.68#	✓	✓	✓	
FL-17A	20'-2"	20 3/4"	27.14#	✓	✓	✓	


Eave Trim



Note:
• Specify roof slope.

DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-19	10'-2"	9 5/8"	6.35#	✓	✓	✓
FL-19A	20'-2"	9 5/8"	12.59#	✓	✓	✓

Roll Form Downspout - Straight




Note:

- See Commercial/Industrial Color Chart for available colors
- Stocked colors are Polar White, Light Stone, Saddle Tan, Ash Gray, Burnished Slate, Fern Green, Rustic Red, Desert Sand, Koko Brown and Charcoal Gray
- Stocked colors - 3 working days lead time
- Non-Stocked colors - Please inquire for lead time
- Available in 26 gauge only

DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-320	10'-6"	17 9/16"	11.96#	✓	✓	✓
F-313	14'-6"	17 9/16"	16.52#	✓	✓	✓

Roll Form 72° Kickout




Note:

- See Commercial/Industrial Color Chart for available colors
- Stocked colors are Polar White, Light Stone, Saddle Tan, Ash Gray, Burnished Slate, Fern Green, Rustic Red, Desert Sand, Koko Brown and Charcoal Gray
- Stocked colors - 3 working days lead time
- Non-Stocked colors - Please inquire for lead time
- Available in 26 gauge only

DESCRIPTION					PRICED PER EACH		
PART #	72° KICKOUT	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-321	Center	1'-4"	17 9/16"	1.99#	✓	✓	✓

Roll Form 45° Offset




Note:

- See Commercial/Industrial Color Chart for available colors
- Stocked colors are Polar White, Light Stone, Saddle Tan, Ash Gray, Burnished Slate, Fern Green, Rustic Red, Desert Sand, Koko Brown and Charcoal Gray
- Stocked colors - 3 working days lead time
- Non-Stocked colors - Please inquire for lead time
- Available in 26 gauge only

DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-322	11"	17 ⁹ / ₁₆ "	1.14#	✓	✓	✓

Roll Form 5° Offset




Note:


- See Commercial/Industrial Color Chart for available colors
- Stocked colors are Polar White, Light Stone, Saddle Tan, Ash Gray, Burnished Slate, Fern Green, Rustic Red, Desert Sand, Koko Brown and Charcoal Gray
- Stocked colors - 3 working days lead time
- Non-Stocked colors - Please inquire for lead time
- Available in 26 gauge only

DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
F-323	1'-7 1/2"	17 ⁹ / ₁₆ "	2.37#	✓	✓	✓

Roll Form Downspout Diagram




Downspout - Straight




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-31	10'-2"	16 7/8"	11.12#	✓	✓	✓
FL-31C	12'-0"	16 7/8"	13.13#	✓	✓	✓
FL-31B	14'-0"	16 7/8"	15.32#	✓	✓	✓
FL-31J	16'-0"	16 7/8"	17.51#	✓	✓	✓
FL-31H	20'-2"	16 7/8"	22.07#	✓	✓	✓

Downspout with 45° Elbow




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-31A	10'-2"	16 7/8"	11.12#	✓	✓	✓
FL-31D	12'-0"	16 7/8"	13.13#	✓	✓	✓
FL-31E	14'-0"	16 7/8"	15.32#	✓	✓	✓
FL-31I	16'-0"	16 7/8"	17.51#	✓	✓	✓
FL-31G	20'-2"	16 7/8"	22.07#	✓	✓	✓

Downspout Elbow




DESCRIPTION						PRICED PER EACH		
PART #	ELBOW ANGLE	LENGTH	GIRTH	GAUGE	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-32	45°	7"	16 7/8"	26	1.32#	✓	✓	✓
FL-33	90°	7"	16 7/8"	26	1.28#	✓	✓	✓

Downspout Offset



DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-35	1'-2½"	16⅞"	1.32#	✓	✓	✓


Offset Downspout



Note:
• Specify dimension "A" as building offset


DESCRIPTION				PRICED PER EACH		
PART #	DIM "A"	GIRTH	WEIGHT PER LF	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-788	6" - 5'-0"	16⅞"	.52#	✓	✓	✓
FL-789	5'-1" - 10'-0"	16⅞"	.52#	✓	✓	✓

Pig Spout Elbow




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-786	8"	16⅞"	1.27#	✓	✓	✓

Scupper




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-40	4"	8"	.17#	✓	✓	✓

Downspout Strap




DESCRIPTION					PRICED PER EACH		
PART #	GAUGE	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-797	26	1"	10"	.05#	✓	✓	N/A
FL-797	24	1"	10"	.07#	✓	✓	✓

Jamb Trim - PBR and Retro-R® Panels




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-22	7'-3"	5"	2.35#	✓	✓	✓
FL-23	10'-2"	5"	3.30#	✓	✓	✓
FL-23B	12'-2"	5"	3.95#	✓	✓	✓
FL-23C	14'-2"	5"	4.59#	✓	✓	✓

Jamb Trim - PBU Panel




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-20	7'-3"	4 3/4"	2.35#	✓	✓	✓
FL-21	10'-2"	4 3/4"	3.30#	✓	✓	✓
FL-21B	12'-2"	4 3/4"	3.75#	✓	✓	✓
FL-21C	14'-0"	4 3/4"	4.59#	✓	✓	✓

Jamb Trim - 7.2 Panel




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-516	7'-3"	5 1/2"	2.59#	✓	✓	✓
FL-516A	10'-2"	5 1/2"	3.63#	✓	✓	✓
FL-516B	14'-2"	5 1/2"	5.05#	✓	✓	✓

Jamb Trim - AVP Panel




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-47	7'-3"	7"	3.40#	✓	✓	✓
FL-48	10'-2"	7"	4.70#	✓	✓	✓
FL-48B	12'-2"	7"	5.80#	✓	✓	✓
FL-48C	14'-2"	7"	6.70#	✓	✓	✓

Drip Trim - PBR and Retro-R® Panels




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-870	10'-2"	7 5/8"	5.03#	✓	✓	✓
FL-871	20'-2"	7 5/8"	10.68#	✓	✓	✓

Head Trim - PBR, AVP and Retro-R® Panels




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-24	3'-6"	5 5/8"	1.28#	✓	✓	✓
FL-25	7'-1"	5 5/8"	2.58#	✓	✓	✓
FL-26	10'-4"	5 5/8"	3.80#	✓	✓	✓
FL-26B	12'-4"	5 5/8"	4.65#	✓	✓	✓
FL-26C	14'-4"	5 5/8"	5.41#	✓	✓	✓

Head Trim - PBU Panel




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-514	3'-6"	5"	1.20#	✓	✓	✓
FL-514A	10'-4"	5"	3.63#	✓	✓	✓
FL-514B	14'-4"	5"	5.17#	✓	✓	✓

Head Trim - 7.2 Panel




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-515	3'-6"	6"	1.33#	✓	✓	✓
FL-515A	10'-4"	6"	4.02#	✓	✓	✓
FL-515B	14'-4"	6"	5.77#	✓	✓	✓

Head Trim - PBR, AVP and Retro-R® Panels



DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-850	3'-6"	6 3/8"	1.45#	✓	✓	✓
FL-851	7'-1"	6 3/8"	2.93#	✓	✓	✓
FL-852	10'-4"	6 3/8"	4.27#	✓	✓	✓
FL-853	12'-4"	6 3/8"	5.10#	✓	✓	✓
FL-854	14'-4"	6 3/8"	5.93#	✓	✓	✓


Panel Starter - AVP Panel



Note:
• Two required per corner

DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-46	10'-2"	8 5/16"	5.48#	✓	✓	✓
FL-46A	12'-0"	8 5/16"	6.47#	✓	✓	✓
FL-46B	14'-0"	8 5/16"	7.55#	✓	✓	✓
FL-46C	16'-0"	8 5/16"	8.63#	✓	✓	✓
FL-46D	20'-2"	8 5/16"	10.87#	✓	✓	✓

Parapet High Eave Trim




Note:

- Specify roof slope or angle indicated on drawing
- Use with all Commercial/Industrial wall panels except 7.2 Panel

DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-195	10'-2"	14"	9.80#	✓	✓	✓

Parapet High Eave Trim




Note:

- Specify roof slope or angle indicated on drawing
- Use with all panels


DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-874	10'-2"	12"	7.91#	✓	✓	✓
FL-875	20'-2"	12"	15.69#	✓	✓	✓

Parapet Rake - PBR Panel




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-952	10'-2"	14"	9.23#	✓	✓	✓
FL-953	20'-2"	14"	19.60#	✓	✓	✓

Parapet Rake - PBU Panel




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-954	10'-2"	14"	9.80#	✓	✓	✓
FL-855	20'-2"	14"	19.60#	✓	✓	✓

Parapet Rake - 7.2 Panel




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-525	10'-2"	14"	9.23#	✓	✓	✓

2 x 2 Outside Angle




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-27	10'-2"	5"	3.30#	✓	✓	✓

2 x 2 Inside Angle




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-28	10'-2"	5"	3.30#	✓	✓	✓

3 x 3 Outside Angle




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-29	10'-2"	7"	4.70#	✓	✓	✓

3 x 3 Inside Angle



DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-30	10'-2"	7"	4.70#	✓	✓	✓


Flat Ridge Cap



Note:
• Specify roof slope.


DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-38	10'-2"	24"	15.82#	✓	✓	✓
FL-38A	20'-2"	24"	31.39#	✓	✓	✓

Masonry Flash




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-846	10'-2"	11"	7.70#	✓	✓	✓
FL-847	20'-2"	11"	15.40#	✓	✓	✓

Window Sill Trim - Fixed Glass



DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-848	10'-2"	6"	3.96#	✓	✓	✓


Jamb or Head Cap



Note:
• For use with 8" structural


DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-37	10'-2"	13 3/8"	8.65#	✓	✓	✓

Sliding Door Hood




DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-45	10'-2"	16 1/2"	10.88#	✓	✓	✓
FL-45B	12'-2"	16 1/2"	13.02#	✓	✓	✓
FL-45C	14'-2"	16 1/2"	15.16#	✓	✓	✓

Sliding Door Hood



DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-451	10'-2"	19 1/4"	13.43#	✓	✓	✓


Standard Valley



Note:
• Specify roof slope

DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-556	10'-2"	26"	17.80#	✓	✓	✓
FL-557	20'-2"	26"	25.70#	✓	✓	✓


Extended Valley



Note:
• Specify roof slope

DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-558	10'-2"	41 1/2"	27.85#	✓	✓	✓
FL-559	14'-0"	41 1/2"	37.68#	✓	✓	✓

Gutter Strap - Retro-R® / 7.2 Panels



DESCRIPTION				PRICED PER EACH		
PART #	LENGTH	GIRTH	WEIGHT EACH	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
FL-895	1'-0"	3 1/8"	.25#	✓	✓	✓

Trim Pricing:

1. Trim is 26 gauge material unless noted.
2. 24 gauge Galvalume® trim is available at additional cost.
3. 24 gauge Signature® 200 trim is available in standard colors as shown on the architectural color chart at additional cost.
All other Signature® 200 colors are special order.
4. All trim in Signature® 300 and Signature® 300 Metallic is 24 gauge only.
5. Add \$8.00 per square for embossing.
6. When ordering standard trim in custom lengths, use price per linear foot for standard trim (10'-0") plus a 10% surcharge.
7. Prices **do not** include standard packaging.
8. Strippable film available for trim upon request. Add \$0.10 per square foot.

Packaging Cost:

- | | |
|--|---------------------|
| 1. Trim with girth greater than 15" | 20 pieces/carton |
| 2. Trim with girth less than 15" | 50 pieces/carton |
| 3. Downspouts | 12/carton |
| 4. Standard Packaging: Cardboard with metal bands | \$3.44/linear foot |
| 5. LTL Packaging: Cardboard with wood blocks and metal bands | \$4.63/linear foot |
| 6. Plywood crating | \$17.05/linear foot |
| 7. Paper wrap only (For customer pick-up only) | \$12.00 |
| 8. Minimum packaging charge | \$30.00 |
| 9. Minimum crating charge | \$75.00 |
| 10. Special packaging | Please Inquire |

Delivery:

1. 26 gauge stock colors (see Commercial/Industrial Color Chart) ..Contact your local Customer Service Representative for lead times.
2. Other gauges, colors and metalsContact your local Customer Service Representative for lead times.

Price Your Own Special Trim:

1. Calculate the number of square feet of material (girth x length).
2. Multiply number of square feet by the appropriate square foot price (see chart below).
3. Add \$1.60 for each break and \$3.20 for each hem.
4. Add appropriate packaging costs.
5. Specify the side with the color or finished coat.
6. Send sketch of the special flashing to with order.
7. If more than one special trim is required, number them SF1, SF2, SF3, etc.

DESCRIPTION	PRICED PER EACH			
	GAUGE	GALVALUME PLUS®	SIGNATURE® 200	SIGNATURE® 300
26	✓	✓	✓	Please Inquire
24	✓	✓	✓	✓



mbci.com

Contact Us:

Houston, TX: 281.407.6915
Adel, GA: 888.514.6062
Atlanta, GA: 678.337.1619
Atwater, CA: 209.445.3891

Indianapolis, IN: 317.364.4329
Lubbock, TN: 806.224.2724
Oklahoma City, OK: 405.492.6968
Phoenix, AZ: 480.630.3022

Rome, NY: 315.371.4330
Salt Lake City, UT: 385.715.2952
San Antonio, TX: 210.888.9768