1"
LAP
(MIN.)

URETHANE SEALANT

PERFORATED VENT DRIP
[FL-254]

1"

TRI-BEAD TAPE SEALER
[HW-504]

HIGH EAVE END
OF PANEL

HIGH EAVE SEALANT DETAIL

O/O DIMENSION
(SEE PLAN)

MASONRY WALL (NOT BY MBCI)

URETHANE TUBE SEALANT
CONTINUOUS

COUNTERFLASH [FL-341]

PARAPET HIGH EAVE TRIM

1/4-14 x 7/8 LONG-LIFE LAPTEK
W/WASHER [FASTENER #4] @ 6" O.C.
(DO NOT INSTALL THRU PANEL RIB)

TRI-BEAD TAPE SEALER [HW-504]

1/4-14 x 7/8 LONG-LIFE LAPTEK
W/WASHER [FASTENER #4] @ 6" O.C.

OUTSIDE CLOSURE
[HW-440] @ 16" PANEL
[HW-446] @ 12" PANEL

BATTENLOK HS
PANEL

12

2"

2"

FIELD SAWCUT

TRI-BEAD TAPE SEALER
[HW-504]

14-10 x 2 DECK SCREW
[FASTENER #209] @ 24" O.C.
(PRE-DRILL HOLE)

PERFORATED VENT DRIP
[FL-254]

URETHANE TUBE SEALANT
@ CLOSURE ENDS/PANEL RIB
& LAPPING CLOSURE TABS TO
SEAL ALL VOIDS

1/4-14 x 1 1/4 LONG-LIFE
SELF-DRILLER W/WASHER
[FASTENER #1E] (1) PER RIB

TRI-BEAD TAPE SEALER
[HW-504]

NOTE:
REFERENCE TYPICAL TRIM
LAP SECTIONS

14-10 x 1 'TYPE A'
SELF-TAPPER W/WASHER
[FASTENER #18]
(4) PER 16" PANEL
(3) PER 12" PANEL

MOISTURE BARRIER
(NOT BY MBCI)

5/8" PLYWOOD MIN.
(NOT BY MBCI)