

O/O DIMENSION  
(SEE PLAN)

NOTE:  
REFERENCE TYPICAL TRIM  
LAP SECTIONS

12

CONT. URETHANE SEALANT  
[HW-54\_]

COUNTERFLASH [FL-341]

PARAPET HIGH EAVE  
FLASHING [SF-\_-]

BRICK WALL  
(NOT BY MBCI)

FIELD SAWCUT

TRI-BEAD TAPE SEALER  
[HW-504]

14-10 x 2 DECK SCREW  
[FASTENER #209] @ 24" O.C.  
(PRE-DRILL)

PERFORATED VENT DRIP [FL-254]

URETHANE SEALANT [HW-54\_] @ CLOSURE ENDS/PANEL RIB & LAPPING CLOSURE TABS TO SEAL ALL VOIDS

1/4-14 x 1 1/4 LONG-LIFE SELF-DRILLER W/WASHER [FASTENER #1E] (3) PER PANEL

METAL OUTSIDE CLOSURE [HW-430] 24" PANEL [HW-432] 18" PANEL [HW-442] 12" PANEL

BACK-UP PLATE [HW-7760] 24" PANEL [HW-7769] 18" PANEL [HW-7761] 12" PANEL

TRI-BEAD TAPE SEALER [HW-504]

1/4-14 x 5/8 LONG-LIFE 'TYPE B' SELF-TAPPER W/WASHER [FASTENER #46] @ PRE-PUNCHED HOLES (6) PER 24" PANEL (5) PER 18" PANEL (4) PER 12" PANEL

1/4-14 x 7/8 LONG-LIFE LAPTEK W/WASHER [FASTENER #4] SPACED 1 1/2" FROM PANEL SEAMS, W/ INTERIOR FASTENERS CENTERED OVER MINOR RIBS (7" O.C. MAX.) (NO FASTENER @ PANEL SEAM)

TRI-BEAD TAPE SEALER [HW-504]

1/4-14 x 7/8 LONG-LIFE LAPTEK W/WASHER [FASTENER #4] @ 6" O.C.

LOW SLIDING CLIP [HW-2122]

BEARING PLATE [HW-7500]

DOUBLE-LOK PANEL

3/8"

RIGID INSULATION (NOT BY MBCI)

METAL DECK (MIN. GAUGE THICKNESS) (NOT BY MBCI)

VAPOR BARRIER (NOT BY MBCI)

14-10 x \_\_\_\_ DECK SCREW [FASTENER #15\_] (2) PER CLIP (MIN. 3/4" PENETRATION INTO METAL DECK)

2"

6"

2"

