



NOTE:
REFERENCE TYPICAL TRIM
LAP SECTIONS

TRI-BEAD TAPE SEALER
[HW-504]
LOW SLIDING CLIP
[HW-2102]
ULTRA-DEK PANEL

HIP FLASHING [FL-____]

URETHANE SEALANT [HW-54_]
@ CLOSURE ENDS (1/4" BEAD MIN.)
1/4-14 x 7/8 LONG-LIFE LAPTEK
W/WASHER [FASTENER #4] @ 6" O.C.

ZEE CLOSURE [FL-360]
(FIELD CUT TO LENGTH &
BEVEL CUT TO FIT PANEL)

3/8"

BEARING PLATE
[HW-7500]
METAL DECK
(MIN. GAUGE THICKNESS)
(NOT BY MBCI)

3 x 3 x 16 GA. BACK-UP
ANGLE

8 x 5/8 NIBBED DRILLER
[FASTENER #24]
@ 4" O.C.

TRI-BEAD TAPE SEALER [HW-504]
CONT. ACROSS PANEL

14-10 x ____ DECK
SCREW [FASTENER #15_] (2)
PER CLIP (MIN. 3/4" PENETRATION
INTO METAL DECK)

RIGID INSULATION
(NOT BY MBCI)

VAPOR BARRIER
(NOT BY MBCI)